

**Table 3.1C Standard Errors of Estimated Numbers (in Thousands) Reporting About Risk and Availability of Drugs, by Age Group: 1999 and 2000**

Risk/Availability <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	1999	2000	1999	2000	1999	2000	1999	2000
<b>PERCEPTIONS OF GREAT RISK</b>								
Cigarettes								
Smoke one or more packs per day	873	794	90	92	129	121	842	755
Marijuana								
Smoke once a month	936	823	88	87	123	124	909	794
Smoke once or twice a week	944	829	91	94	141	132	907	798
Cocaine								
Use once a month	717	692	90	88	134	116	698	663
Use once or twice a week	497	454	72	76	90	86	469	434
Heroin								
Try once or twice	622	564	86	85	106	100	591	545
Use once or twice a week	382	365	68	68	65	63	361	348
LSD								
Try once or twice	666	698	90	88	132	121	627	663
Use once or twice a week	510	453	77	73	95	92	489	429
Alcohol								
Four or five drinks nearly every day	893	725	94	86	133	121	867	710
Five or more drinks once or twice a week	894	919	94	90	128	127	876	902
<b>AVAILABILITY</b>								
Fairly or very easy to obtain								
Marijuana	941	800	93	97	115	115	899	764
Cocaine	781	698	83	76	129	117	763	671
Crack	808	741	85	86	136	129	778	713
Heroin	699	621	72	69	113	108	684	600
LSD	708	613	79	78	129	111	686	585
Approached by someone selling drugs past month	397	351	68	71	109	97	360	313

\*Low precision; no estimate reported.

<sup>1</sup>Respondents with missing data were excluded.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.1D Standard Errors of Percentages Reporting About Risk and Availability of Drugs, by Age Group: 1999 and 2000**

Risk/Availability <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	1999	2000	1999	2000	1999	2000	1999	2000
<b>PERCEPTIONS OF GREAT RISK</b>								
Cigarettes								
Smoke one or more packs per day	0.40	0.36	0.40	0.40	0.46	0.42	0.50	0.45
Marijuana								
Smoke once a month	0.44	0.38	0.39	0.38	0.44	0.43	0.56	0.48
Smoke once or twice a week	0.44	0.38	0.40	0.41	0.50	0.46	0.55	0.48
Cocaine								
Use once a month	0.33	0.32	0.40	0.38	0.48	0.40	0.42	0.40
Use once or twice a week	0.23	0.21	0.32	0.33	0.32	0.30	0.28	0.26
Heroin								
Try once or twice	0.29	0.26	0.38	0.37	0.38	0.35	0.36	0.33
Use once or twice a week	0.18	0.17	0.30	0.29	0.23	0.22	0.22	0.21
LSD								
Try once or twice	0.31	0.32	0.41	0.39	0.48	0.42	0.38	0.40
Use once or twice a week	0.24	0.21	0.35	0.32	0.34	0.32	0.30	0.26
Alcohol								
Four or five drinks nearly every day	0.41	0.33	0.41	0.37	0.47	0.42	0.52	0.42
Five or more drinks once or twice a week	0.41	0.42	0.41	0.39	0.45	0.44	0.53	0.53
<b>AVAILABILITY</b>								
Fairly or very easy to obtain								
Marijuana	0.46	0.38	0.42	0.43	0.42	0.40	0.58	0.48
Cocaine	0.39	0.34	0.38	0.34	0.48	0.42	0.51	0.43
Crack	0.41	0.36	0.39	0.38	0.51	0.46	0.52	0.45
Heroin	0.35	0.30	0.33	0.31	0.43	0.39	0.46	0.38
LSD	0.36	0.30	0.37	0.35	0.48	0.40	0.46	0.37
Approached by someone selling drugs past month	0.18	0.16	0.30	0.31	0.39	0.34	0.21	0.18

\*Low precision; no estimate reported.

<sup>1</sup>Respondents with missing data were excluded.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.1P P-Values from Tests of Differences in Percentages Reporting About Risk and Availability of Drugs, by Age Group: 2000 Versus 1999**

Risk/Availability <sup>1</sup>	Total		AGE GROUP (Years)					
			12-17		18-25		26 or Older	
	1999	2000	1999	2000	1999	2000	1999	2000
<b>PERCEPTIONS OF GREAT RISK</b>								
Cigarettes								
Smoke one or more packs per day	0.0000		0.0000		0.0000		0.0001	
Marijuana								
Smoke once a month	0.9263		0.3935		0.0766		0.6817	
Smoke once or twice a week	0.6011		0.3790		0.1167		0.6634	
Cocaine								
Use once a month	0.9751		0.9344		0.4249		0.9474	
Use once or twice a week	0.6740		0.4389		0.8857		0.5364	
Heroin								
Try once or twice	0.2595		0.5551		0.0934		0.4027	
Use once or twice a week	0.6329		0.4750		0.6951		0.7837	
LSD								
Try once or twice	0.5843		0.0910		0.0473		0.9430	
Use once or twice a week	0.9906		0.0525		0.7982		0.7457	
Alcohol								
Four or five drinks nearly every day	0.0378		0.7874		0.1956		0.0616	
Five or more drinks once or twice a week	0.0003		0.0338		0.3743		0.0007	
<b>AVAILABILITY</b>								
Fairly or very easy to obtain								
Marijuana	0.0003		0.0000		0.0304		0.0028	
Cocaine	0.0002		0.0000		0.0000		0.0112	
Crack	0.0004		0.0021		0.0002		0.0075	
Heroin	0.0006		0.0073		0.0003		0.0081	
LSD	0.0111		0.0001		0.0005		0.1338	
Approached by someone selling drugs past month	0.0154		0.5847		0.0531		0.0256	

\*Low precision; no estimate reported.

<sup>1</sup>Respondents with missing data were excluded.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.2C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 1999 and 2000**

(I) Demographic Characteristic	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>		(II) Drug Use	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	90	92	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	40	38	36	37
12-13	51	49	Marijuana	32	33	33	33
14-15	50	50	Any Illicit Drug Other Than Marijuana <sup>2</sup>	28	25	25	28
16-17	52	50	Cigarettes	48	45	46	44
<b>GENDER</b>			Alcohol	51	53	42	43
Male	67	65	"Binge" Alcohol <sup>3</sup>	42	41	37	36
Female	59	61	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	55	53	49	46
Not Hispanic			Marijuana	48	45	45	42
White Only	74	72	Any Illicit Drug Other Than Marijuana <sup>2</sup>	43	38	39	40
Black Only	32	35	Cigarettes	59	56	52	50
American Indian or Alaska Native Only	6	*	Alcohol	70	68	58	55
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	21	<b>LIFETIME</b>				
More Than One Race	11	13	Any Illicit Drug <sup>2</sup>	63	64	52	51
Hispanic	35	35	Marijuana	54	53	49	46
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	54	51	45	46
Large Metro	67	61	Cigarettes	70	70	54	55
Small Metro	47	53	Alcohol	75	71	59	58
Nonmetro	35	37	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.2D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 1999 and 2000**

(I) Demographic Characteristic	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>		(II) Drug Use	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.40	0.40	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.29	0.26	0.40	0.44
12-13	0.70	0.65	Marijuana	0.23	0.22	0.37	0.40
14-15	0.65	0.62	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.20	0.17	0.28	0.34
16-17	0.67	0.67	Cigarettes	0.35	0.30	0.52	0.53
<b>GENDER</b>			Alcohol	0.37	0.35	0.48	0.51
Male	0.58	0.55	"Binge" Alcohol <sup>3</sup>	0.30	0.28	0.41	0.43
Female	0.53	0.54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.40	0.35	0.55	0.55
Not Hispanic			Marijuana	0.35	0.30	0.51	0.50
White Only	0.49	0.47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.31	0.26	0.43	0.48
Black Only	1.03	1.08	Cigarettes	0.43	0.38	0.58	0.61
American Indian or Alaska Native Only	4.61	*	Alcohol	0.51	0.46	0.65	0.66
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.34	2.52	<b>LIFETIME</b>				
More Than One Race	3.19	3.55	Any Illicit Drug <sup>2</sup>	0.46	0.43	0.58	0.61
Hispanic	1.12	1.08	Marijuana	0.39	0.36	0.55	0.55
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.39	0.34	0.51	0.55
Large Metro	0.59	0.54	Cigarettes	0.51	0.47	0.61	0.66
Small Metro	0.69	0.75	Alcohol	0.54	0.48	0.66	0.70
Nonmetro	0.78	0.78	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.2P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Cigarette Smoking: 2000 Versus 1999**

(I) Demographic Characteristic	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>		(II) Drug Use	Smoke One or More Packs of Cigarettes Per Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.7823		0.6223	
12-13	0.0000		Marijuana	0.9353		0.8346	
14-15	0.0006		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5227		0.1309	
16-17	0.0005		Cigarettes	0.0023		0.2775	
<b>GENDER</b>			Alcohol	0.1944		0.1847	
Male	0.0000		"Binge" Alcohol <sup>3</sup>	0.7102		0.0141	
Female	0.0000		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0192		0.5958	
Not Hispanic			Marijuana	0.0725		0.6924	
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0955		0.3848	
Black Only	0.1559		Cigarettes	0.0000		0.0372	
American Indian or Alaska Native Only	*		Alcohol	0.0418		0.8111	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.5791		<b>LIFETIME</b>				
More Than One Race	0.4302		Any Illicit Drug <sup>2</sup>	0.2824		0.6641	
Hispanic	0.0044		Marijuana	0.3288		0.9077	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2939		0.2573	
Large Metro	0.0000		Cigarettes	0.0009		0.0167	
Small Metro	0.0068		Alcohol	0.0256		0.9670	
Nonmetro	0.0003		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.  
 -- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.3C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 1999 and 2000**

(I) Demographic Characteristic	Smoke Marijuana Once a Month <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	88	87	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	22	20	47	50
12-13	50	49	Marijuana	16	13	43	45
14-15	46	51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	16	34	36
16-17	48	46	Cigarettes	31	25	59	57
<b>GENDER</b>			Alcohol	32	31	60	60
Male	62	58	"Binge" Alcohol <sup>3</sup>	24	24	51	48
Female	62	61	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	32	32	65	62
Not Hispanic			Marijuana	24	21	59	56
White Only	72	71	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	27	53	53
Black Only	37	33	Cigarettes	39	37	69	67
American Indian or Alaska Native Only	7	6	Alcohol	47	46	74	74
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18	18	<b>LIFETIME</b>				
More Than One Race	11	11	Any Illicit Drug <sup>2</sup>	40	40	69	69
Hispanic	32	33	Marijuana	31	28	62	63
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	34	62	62
Large Metro	64	61	Cigarettes	48	46	71	75
Small Metro	49	49	Alcohol	52	51	75	76
Nonmetro	40	38	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.3D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 1999 and 2000**

(I) Demographic Characteristic	Smoke Marijuana Once a Month <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.39	0.38	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.26	0.23	0.33	0.35
12-13	0.69	0.65	Marijuana	0.20	0.15	0.30	0.32
14-15	0.60	0.65	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.19	0.19	0.24	0.25
16-17	0.63	0.61	Cigarettes	0.37	0.29	0.42	0.40
<b>GENDER</b>			Alcohol	0.38	0.36	0.42	0.42
Male	0.53	0.49	"Binge" Alcohol <sup>3</sup>	0.28	0.27	0.36	0.34
Female	0.56	0.54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.38	0.37	0.46	0.43
Not Hispanic			Marijuana	0.28	0.24	0.42	0.39
White Only	0.48	0.47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.30	0.31	0.37	0.37
Black Only	1.19	0.99	Cigarettes	0.47	0.42	0.49	0.47
American Indian or Alaska Native Only	5.04	4.41	Alcohol	0.56	0.53	0.52	0.51
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.11	2.23	<b>LIFETIME</b>				
More Than One Race	3.00	3.07	Any Illicit Drug <sup>2</sup>	0.47	0.46	0.49	0.48
Hispanic	1.02	1.01	Marijuana	0.37	0.32	0.44	0.44
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.40	0.44	0.43
Large Metro	0.57	0.54	Cigarettes	0.58	0.54	0.50	0.53
Small Metro	0.72	0.69	Alcohol	0.62	0.59	0.53	0.53
Nonmetro	0.88	0.81	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.3P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once a Month: 2000 Versus 1999**

(I) Demographic Characteristic	Smoke Marijuana Once a Month <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.3935		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.0269		0.5232	
12-13	0.8914		Marijuana	0.0868		0.6425	
14-15	0.8499		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3546		0.5000	
16-17	0.2433		Cigarettes	0.0025		0.0099	
<b>GENDER</b>			Alcohol	0.5916		0.7411	
Male	0.6612		"Binge" Alcohol <sup>3</sup>	0.6935		0.3799	
Female	0.4162		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0226		0.0830	
Not Hispanic			Marijuana	0.0926		0.1580	
White Only	0.3033		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4272		0.4029	
Black Only	0.4104		Cigarettes	0.0010		0.0000	
American Indian or Alaska Native Only	0.8789		Alcohol	0.6429		0.0283	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.7849		<b>LIFETIME</b>				
More Than One Race	0.9520		Any Illicit Drug <sup>2</sup>	0.0691		0.4510	
Hispanic	0.1776		Marijuana	0.3737		0.5596	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2032		0.9622	
Large Metro	0.8799		Cigarettes	0.0042		0.0002	
Small Metro	0.0388		Alcohol	0.3634		0.0558	
Nonmetro	0.6744		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.4C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Smoke Marijuana Once or Twice a Week <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	91	94	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	26	24	43	46
12-13	49	47	Marijuana	18	15	40	42
14-15	52	53	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20	19	31	34
16-17	53	53	Cigarettes	38	30	54	53
<b>GENDER</b>			Alcohol	40	38	53	51
Male	68	66	"Binge" Alcohol <sup>3</sup>	30	28	45	44
Female	61	59	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	38	40	57	54
Not Hispanic			Marijuana	29	26	53	51
White Only	75	74	Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	33	47	47
Black Only	35	36	Cigarettes	49	43	61	57
American Indian or Alaska Native Only	5	*	Alcohol	60	57	61	60
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	19	19	<b>LIFETIME</b>				
More Than One Race	12	14	Any Illicit Drug <sup>2</sup>	50	51	58	59
Hispanic	33	35	Marijuana	39	36	57	56
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	42	43	55	55
Large Metro	69	68	Cigarettes	64	58	59	60
Small Metro	51	51	Alcohol	65	62	62	59
Nonmetro	36	38	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.4D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Smoke Marijuana Once or Twice a Week <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.40	0.41	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.20	0.19	0.43	0.46
12-13	0.68	0.62	Marijuana	0.14	0.12	0.41	0.42
14-15	0.67	0.66	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.15	0.31	0.33
16-17	0.69	0.71	Cigarettes	0.30	0.24	0.55	0.52
<b>GENDER</b>			Alcohol	0.32	0.29	0.54	0.50
Male	0.59	0.56	"Binge" Alcohol <sup>3</sup>	0.24	0.22	0.46	0.44
Female	0.55	0.52	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.30	0.31	0.58	0.53
Not Hispanic			Marijuana	0.23	0.20	0.54	0.50
White Only	0.50	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.25	0.26	0.48	0.47
Black Only	1.12	1.09	Cigarettes	0.39	0.33	0.62	0.56
American Indian or Alaska Native Only	3.84	*	Alcohol	0.47	0.44	0.62	0.59
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.19	2.36	<b>LIFETIME</b>				
More Than One Race	3.31	3.86	Any Illicit Drug <sup>2</sup>	0.39	0.39	0.59	0.58
Hispanic	1.07	1.08	Marijuana	0.31	0.28	0.58	0.55
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.33	0.33	0.56	0.54
Large Metro	0.61	0.60	Cigarettes	0.50	0.45	0.60	0.59
Small Metro	0.75	0.72	Alcohol	0.51	0.48	0.63	0.58
Nonmetro	0.79	0.79	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.4P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Smoking Marijuana Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Smoking Marijuana Once or Twice a Week: 2000 Versus 1999**

(I) Demographic Characteristic	Smoke Marijuana Once or Twice a Week <sup>1</sup>		(II) Drug Use	Smoke Marijuana Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.3790		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1019		0.8328	
12-13	0.7638		Marijuana	0.0375		0.7570	
14-15	0.5116		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7818		0.7501	
16-17	0.0678		Cigarettes	0.0000		0.1661	
<b>GENDER</b>			Alcohol	0.0200		0.4578	
Male	0.1708		"Binge" Alcohol <sup>3</sup>	0.2191		0.0835	
Female	0.8738		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0040		0.0786	
Not Hispanic			Marijuana	0.0027		0.2179	
White Only	0.6684		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1998		0.4123	
Black Only	0.6107		Cigarettes	0.0000		0.0018	
American Indian or Alaska Native Only	*		Alcohol	0.0121		0.1888	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.8731		<b>LIFETIME</b>				
More Than One Race	0.2574		Any Illicit Drug <sup>2</sup>	0.0161		0.5304	
Hispanic	0.8647		Marijuana	0.0411		0.7568	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0610		0.8098	
Large Metro	0.1290		Cigarettes	0.0000		0.0210	
Small Metro	0.3578		Alcohol	0.0200		0.1111	
Nonmetro	0.3973		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.5C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 1999 and 2000**

(I) Demographic Characteristic	Use Cocaine Once a Month <sup>1</sup>		(II) Drug Use	Use Cocaine Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	90	88	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	37	39	38	38
12-13	51	52	Marijuana	34	34	32	32
14-15	53	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	25	29	30
16-17	52	49	Cigarettes	54	47	43	43
<b>GENDER</b>			Alcohol	52	50	43	43
Male	64	62	"Binge" Alcohol <sup>3</sup>	42	41	36	35
Female	62	62	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	54	52	49	48
Not Hispanic			Marijuana	49	45	42	40
White Only	72	69	Any Illicit Drug Other Than Marijuana <sup>2</sup>	40	42	43	41
Black Only	30	34	Cigarettes	62	58	52	55
American Indian or Alaska Native Only	5	*	Alcohol	68	64	63	59
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	22	20	<b>LIFETIME</b>				
More Than One Race	12	12	Any Illicit Drug <sup>2</sup>	62	61	53	56
Hispanic	36	35	Marijuana	57	55	45	45
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	50	51	51	52
Large Metro	70	60	Cigarettes	69	68	58	60
Small Metro	48	48	Alcohol	70	66	65	66
Nonmetro	33	40	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.5D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 1999 and 2000**

(I) Demographic Characteristic	Use Cocaine Once a Month <sup>1</sup>		(II) Drug Use	Use Cocaine Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.40	0.38	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.30	0.30	0.38	0.37
12-13	0.70	0.69	Marijuana	0.28	0.27	0.32	0.31
14-15	0.70	0.65	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.20	0.19	0.29	0.30
16-17	0.69	0.66	Cigarettes	0.43	0.37	0.42	0.42
<b>GENDER</b>			Alcohol	0.42	0.40	0.43	0.42
Male	0.56	0.53	"Binge" Alcohol <sup>3</sup>	0.34	0.32	0.36	0.34
Female	0.56	0.56	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.44	0.41	0.49	0.47
Not Hispanic			Marijuana	0.40	0.36	0.41	0.39
White Only	0.48	0.46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.33	0.43	0.40
Black Only	0.98	1.05	Cigarettes	0.50	0.45	0.52	0.53
American Indian or Alaska Native Only	4.19	*	Alcohol	0.55	0.51	0.62	0.58
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.49	2.45	<b>LIFETIME</b>				
More Than One Race	3.29	3.49	Any Illicit Drug <sup>2</sup>	0.50	0.48	0.53	0.55
Hispanic	1.17	1.07	Marijuana	0.45	0.43	0.45	0.44
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.40	0.51	0.51
Large Metro	0.62	0.54	Cigarettes	0.56	0.53	0.58	0.58
Small Metro	0.71	0.68	Alcohol	0.56	0.52	0.64	0.64
Nonmetro	0.73	0.86	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.5P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once a Month, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once a Month: 2000 Versus 1999**

(I) Demographic Characteristic	Use Cocaine Once a Month <sup>1</sup>		(II) Drug Use	Use Cocaine Once a Month <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.9344		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.3540		0.2835	
12-13	0.4794		Marijuana	0.1127		0.0965	
14-15	0.5347		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4616		0.8593	
16-17	0.5919		Cigarettes	0.0259		0.0091	
<b>GENDER</b>			Alcohol	0.4515		0.9134	
Male	0.9657		"Binge" Alcohol <sup>3</sup>	0.2303		0.8523	
Female	0.8805		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.2352		0.0179	
Not Hispanic			Marijuana	0.5681		0.0208	
White Only	0.7682		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7681		0.1078	
Black Only	0.5876		Cigarettes	0.0003		0.0007	
American Indian or Alaska Native Only	*		Alcohol	0.0361		0.4883	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.9800		<b>LIFETIME</b>				
More Than One Race	0.1134		Any Illicit Drug <sup>2</sup>	0.8294		0.0650	
Hispanic	0.4943		Marijuana	0.8009		0.0722	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.0000		0.4891	
Large Metro	0.3198		Cigarettes	0.0025		0.0028	
Small Metro	0.4938		Alcohol	0.0329		0.4272	
Nonmetro	0.0146		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.6C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use Cocaine Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Cocaine Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	72	76	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	45	47	26	28
12-13	43	43	Marijuana	40	41	23	23
14-15	41	40	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	30	21	24
16-17	35	37	Cigarettes	64	55	27	31
<b>GENDER</b>			Alcohol	61	62	28	28
Male	49	50	"Binge" Alcohol <sup>3</sup>	50	49	23	25
Female	49	51	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	65	64	31	34
Not Hispanic			Marijuana	58	54	28	29
White Only	51	51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	49	49	28	30
Black Only	29	33	Cigarettes	74	69	32	35
American Indian or Alaska Native Only	6	8	Alcohol	83	81	37	35
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18	20	<b>LIFETIME</b>				
More Than One Race	8	10	Any Illicit Drug <sup>2</sup>	73	75	33	36
Hispanic	32	27	Marijuana	67	64	30	31
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	63	62	32	35
Large Metro	55	51	Cigarettes	82	83	36	39
Small Metro	39	42	Alcohol	85	85	39	38
Nonmetro	26	32	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.6D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use Cocaine Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Cocaine Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.32	0.33	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.24	0.25	0.65	0.67
12-13	0.59	0.57	Marijuana	0.22	0.22	0.59	0.57
14-15	0.53	0.50	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.16	0.54	0.59
16-17	0.45	0.50	Cigarettes	0.35	0.29	0.69	0.75
<b>GENDER</b>			Alcohol	0.33	0.33	0.71	0.68
Male	0.43	0.43	"Binge" Alcohol <sup>3</sup>	0.27	0.26	0.59	0.60
Female	0.44	0.45	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.35	0.34	0.78	0.82
Not Hispanic			Marijuana	0.31	0.29	0.70	0.70
White Only	0.34	0.34	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.27	0.26	0.71	0.73
Black Only	0.92	1.02	Cigarettes	0.40	0.37	0.80	0.86
American Indian or Alaska Native Only	4.48	5.49	Alcohol	0.45	0.43	0.94	0.85
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.03	2.42	<b>LIFETIME</b>				
More Than One Race	2.24	2.84	Any Illicit Drug <sup>2</sup>	0.39	0.40	0.84	0.88
Hispanic	1.04	0.84	Marijuana	0.36	0.34	0.75	0.76
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.34	0.33	0.80	0.85
Large Metro	0.49	0.46	Cigarettes	0.44	0.44	0.91	0.95
Small Metro	0.57	0.59	Alcohol	0.46	0.45	0.99	0.93
Nonmetro	0.57	0.67	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.6P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Cocaine Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Cocaine Once or Twice a Week: 2000 Versus 1999**

(I) Demographic Characteristic	Use Cocaine Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Cocaine Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.4389		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.6469		0.6170	
12-13	0.5704		Marijuana	0.7259		0.6490	
14-15	0.5811		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5874		0.2897	
16-17	0.2185		Cigarettes	0.0031		0.1012	
<b>GENDER</b>			Alcohol	0.4614		0.8055	
Male	0.2425		"Binge" Alcohol <sup>3</sup>	0.3134		0.6435	
Female	0.9891		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0137		0.6416	
Not Hispanic			Marijuana	0.0502		0.7941	
White Only	0.5652		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1843		0.7976	
Black Only	0.9016		Cigarettes	0.0000		0.0457	
American Indian or Alaska Native Only	0.4437		Alcohol	0.0465		0.8227	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.1096		<b>LIFETIME</b>				
More Than One Race	0.0561		Any Illicit Drug <sup>2</sup>	0.1029		0.7923	
Hispanic	0.2357		Marijuana	0.2777		0.7299	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2352		0.2744	
Large Metro	0.8681		Cigarettes	0.0000		0.7570	
Small Metro	0.5687		Alcohol	0.0152		0.6065	
Nonmetro	0.1441		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.7C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Try Heroin Once or Twice <sup>1</sup>		(II) Drug Use	Try Heroin Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	86	85	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	43	45	31	29
12-13	49	52	Marijuana	39	40	26	24
14-15	50	54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	28	30	23	22
16-17	46	46	Cigarettes	60	52	35	32
<b>GENDER</b>			Alcohol	56	54	38	36
Male	63	62	"Binge" Alcohol <sup>3</sup>	47	46	32	28
Female	58	59	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	60	58	43	38
Not Hispanic			Marijuana	55	51	36	31
White Only	68	68	Any Illicit Drug Other Than Marijuana <sup>2</sup>	46	48	36	33
Black Only	34	35	Cigarettes	69	64	43	40
American Indian or Alaska Native Only	5	*	Alcohol	74	72	51	50
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	21	<b>LIFETIME</b>				
More Than One Race	10	12	Any Illicit Drug <sup>2</sup>	67	67	49	46
Hispanic	34	36	Marijuana	63	60	40	36
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	56	58	44	42
Large Metro	65	61	Cigarettes	74	74	52	49
Small Metro	48	48	Alcohol	75	72	55	56
Nonmetro	32	38	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.7D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Try Heroin Once or Twice <sup>1</sup>		(II) Drug Use	Try Heroin Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.38	0.37	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.31	0.31	0.37	0.34
12-13	0.68	0.69	Marijuana	0.28	0.28	0.31	0.28
14-15	0.66	0.68	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.20	0.21	0.27	0.26
16-17	0.60	0.61	Cigarettes	0.43	0.37	0.41	0.38
<b>GENDER</b>			Alcohol	0.40	0.38	0.45	0.42
Male	0.55	0.53	"Binge" Alcohol <sup>3</sup>	0.34	0.32	0.37	0.32
Female	0.53	0.52	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.43	0.40	0.50	0.45
Not Hispanic			Marijuana	0.39	0.36	0.42	0.36
White Only	0.45	0.45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.33	0.34	0.42	0.38
Black Only	1.11	1.09	Cigarettes	0.50	0.45	0.51	0.47
American Indian or Alaska Native Only	4.00	*	Alcohol	0.53	0.50	0.60	0.58
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.32	2.67	<b>LIFETIME</b>				
More Than One Race	3.05	3.33	Any Illicit Drug <sup>2</sup>	0.49	0.47	0.57	0.54
Hispanic	1.09	1.12	Marijuana	0.45	0.42	0.46	0.41
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.40	0.51	0.48
Large Metro	0.58	0.55	Cigarettes	0.53	0.52	0.60	0.57
Small Metro	0.71	0.68	Alcohol	0.54	0.50	0.64	0.65
Nonmetro	0.71	0.80	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.7P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying Heroin Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying Heroin Once or Twice: 2000 Versus 1999**

(I) Demographic Characteristic	Try Heroin Once or Twice <sup>1</sup>		(II) Drug Use	Try Heroin Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.5551		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.7359		0.4645	
12-13	0.7033		Marijuana	0.5008		0.2879	
14-15	0.8786		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7183		0.9694	
16-17	0.1301		Cigarettes	0.0313		0.0027	
<b>GENDER</b>			Alcohol	0.5166		0.5943	
Male	0.7481		"Binge" Alcohol <sup>3</sup>	0.4066		0.7883	
Female	0.2141		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0779		0.0505	
Not Hispanic			Marijuana	0.3738		0.0127	
White Only	0.0355		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4693		0.4106	
Black Only	0.1162		Cigarettes	0.0004		0.0001	
American Indian or Alaska Native Only	*		Alcohol	0.0336		0.3596	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2024		<b>LIFETIME</b>				
More Than One Race	0.4062		Any Illicit Drug <sup>2</sup>	0.3239		0.2420	
Hispanic	0.9638		Marijuana	0.9690		0.0512	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6904		0.6789	
Large Metro	0.4413		Cigarettes	0.0009		0.0015	
Small Metro	0.9039		Alcohol	0.0187		0.5177	
Nonmetro	0.9275		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.8C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use Heroin Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Heroin Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	68	68	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	48	52	22	21
12-13	45	43	Marijuana	42	46	18	17
14-15	38	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	35	17	18
16-17	32	30	Cigarettes	67	61	22	21
<b>GENDER</b>			Alcohol	63	64	24	22
Male	47	46	"Binge" Alcohol <sup>3</sup>	52	51	19	18
Female	47	46	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	67	69	28	27
Not Hispanic			Marijuana	61	59	22	21
White Only	46	45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	53	56	23	24
Black Only	29	30	Cigarettes	78	75	28	25
American Indian or Alaska Native Only	*	5	Alcohol	84	83	32	29
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	19	20	<b>LIFETIME</b>				
More Than One Race	8	9	Any Illicit Drug <sup>2</sup>	75	80	32	29
Hispanic	32	28	Marijuana	69	69	24	22
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	65	69	28	28
Large Metro	52	49	Cigarettes	85	86	32	32
Small Metro	37	39	Alcohol	85	85	36	33
Nonmetro	25	25	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.8D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use Heroin Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Heroin Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.30	0.29	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.25	0.27	0.62	0.58
12-13	0.62	0.57	Marijuana	0.22	0.24	0.51	0.45
14-15	0.50	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.17	0.18	0.47	0.50
16-17	0.42	0.40	Cigarettes	0.35	0.32	0.62	0.58
<b>GENDER</b>			Alcohol	0.33	0.33	0.67	0.59
Male	0.41	0.39	"Binge" Alcohol <sup>3</sup>	0.27	0.27	0.55	0.48
Female	0.42	0.41	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.35	0.36	0.80	0.73
Not Hispanic			Marijuana	0.32	0.31	0.64	0.57
White Only	0.31	0.30	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.28	0.29	0.67	0.66
Black Only	0.92	0.91	Cigarettes	0.41	0.39	0.79	0.69
American Indian or Alaska Native Only	*	3.56	Alcohol	0.44	0.43	0.91	0.79
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.15	2.45	<b>LIFETIME</b>				
More Than One Race	2.28	2.42	Any Illicit Drug <sup>2</sup>	0.40	0.41	0.90	0.80
Hispanic	1.03	0.86	Marijuana	0.37	0.36	0.68	0.61
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.34	0.36	0.81	0.76
Large Metro	0.46	0.44	Cigarettes	0.45	0.45	0.92	0.87
Small Metro	0.54	0.56	Alcohol	0.45	0.44	1.01	0.89
Nonmetro	0.55	0.53	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.8P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using Heroin Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using Heroin Once or Twice a Week: 2000 Versus 1999**

(I) Demographic Characteristic	Use Heroin Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use Heroin Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.4750		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.7391		0.3471	
12-13	0.7474		Marijuana	0.4967		0.1472	
14-15	0.2892		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9511		0.3441	
16-17	0.9592		Cigarettes	0.0118		0.0077	
<b>GENDER</b>			Alcohol	0.5846		0.7910	
Male	0.4897		"Binge" Alcohol <sup>3</sup>	0.2578		0.9569	
Female	0.7363		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0343		0.1908	
Not Hispanic			Marijuana	0.1205		0.1412	
White Only	0.6210		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3339		0.8956	
Black Only	0.8642		Cigarettes	0.0000		0.0062	
American Indian or Alaska Native Only	*		Alcohol	0.0254		0.9334	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.1474		<b>LIFETIME</b>				
More Than One Race	0.5007		Any Illicit Drug <sup>2</sup>	0.2196		0.5020	
Hispanic	0.8841		Marijuana	0.5309		0.3630	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5842		0.9253	
Large Metro	0.6560		Cigarettes	0.0000		0.0848	
Small Metro	0.4589		Alcohol	0.0257		0.8523	
Nonmetro	0.1043		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.9C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Try LSD Once or Twice <sup>1</sup>		(II) Drug Use	Try LSD Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	90	88	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	38	37	38	37
12-13	49	52	Marijuana	34	34	34	33
14-15	51	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	24	28	28
16-17	53	48	Cigarettes	52	47	44	40
<b>GENDER</b>			Alcohol	49	51	46	42
Male	65	61	"Binge" Alcohol <sup>3</sup>	41	41	38	35
Female	62	61	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	51	51	51	47
Not Hispanic			Marijuana	46	43	46	41
White Only	72	68	Any Illicit Drug Other Than Marijuana <sup>2</sup>	37	40	42	40
Black Only	34	36	Cigarettes	59	59	51	45
American Indian or Alaska Native Only	5	7	Alcohol	67	66	58	53
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	22	20	<b>LIFETIME</b>				
More Than One Race	11	13	Any Illicit Drug <sup>2</sup>	58	59	54	52
Hispanic	33	37	Marijuana	51	52	49	45
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	47	47	50	49
Large Metro	68	65	Cigarettes	66	70	57	56
Small Metro	49	50	Alcohol	69	67	61	58
Nonmetro	33	35	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.9D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Try LSD Once or Twice <sup>1</sup>		(II) Drug Use	Try LSD Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.41	0.39	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.31	0.29	0.39	0.38
12-13	0.71	0.71	Marijuana	0.27	0.26	0.35	0.34
14-15	0.68	0.67	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.19	0.18	0.29	0.29
16-17	0.70	0.64	Cigarettes	0.42	0.37	0.46	0.41
<b>GENDER</b>			Alcohol	0.39	0.39	0.47	0.44
Male	0.58	0.53	"Binge" Alcohol <sup>3</sup>	0.33	0.31	0.39	0.37
Female	0.58	0.55	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.42	0.40	0.53	0.48
Not Hispanic			Marijuana	0.37	0.33	0.47	0.43
White Only	0.49	0.46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.30	0.31	0.44	0.41
Black Only	1.13	1.12	Cigarettes	0.48	0.46	0.53	0.47
American Indian or Alaska Native Only	4.04	4.69	Alcohol	0.54	0.51	0.60	0.55
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.59	2.59	<b>LIFETIME</b>				
More Than One Race	3.25	3.75	Any Illicit Drug <sup>2</sup>	0.47	0.46	0.56	0.54
Hispanic	1.09	1.15	Marijuana	0.41	0.41	0.51	0.46
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.38	0.37	0.52	0.50
Large Metro	0.62	0.60	Cigarettes	0.54	0.54	0.59	0.58
Small Metro	0.74	0.72	Alcohol	0.56	0.52	0.64	0.60
Nonmetro	0.73	0.74	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.9P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Trying LSD Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Trying LSD Once or Twice: 2000 Versus 1999**

(I) Demographic Characteristic	Try LSD Once or Twice <sup>1</sup>		(II) Drug Use	Try LSD Once or Twice <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0910		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.4865		0.8396	
12-13	0.0627		Marijuana	0.7228		0.9394	
14-15	0.6154		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8330		0.6094	
16-17	0.0669		Cigarettes	0.0268		0.0035	
<b>GENDER</b>			Alcohol	0.4281		0.7732	
Male	0.3575		"Binge" Alcohol <sup>3</sup>	0.5193		0.5750	
Female	0.1482		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0456		0.1154	
Not Hispanic			Marijuana	0.2173		0.0997	
White Only	0.0019		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3728		0.4988	
Black Only	0.1927		Cigarettes	0.0005		0.0000	
American Indian or Alaska Native Only	0.0990		Alcohol	0.1221		0.0784	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.7462		<b>LIFETIME</b>				
More Than One Race	0.6059		Any Illicit Drug <sup>2</sup>	0.6150		0.1342	
Hispanic	0.8450		Marijuana	0.9730		0.1747	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8007		0.5938	
Large Metro	0.1913		Cigarettes	0.0206		0.0000	
Small Metro	0.2709		Alcohol	0.1254		0.0740	
Nonmetro	0.8694		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.10C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use LSD Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use LSD Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	77	73	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	44	45	29	29
12-13	46	45	Marijuana	39	41	25	25
14-15	45	43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	30	23	23
16-17	41	37	Cigarettes	61	55	32	32
<b>GENDER</b>			Alcohol	59	60	32	31
Male	54	52	"Binge" Alcohol <sup>3</sup>	49	47	27	26
Female	53	54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	63	63	35	37
Not Hispanic			Marijuana	55	53	31	31
White Only	57	54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	48	50	30	31
Black Only	31	32	Cigarettes	73	69	37	35
American Indian or Alaska Native Only	5	5	Alcohol	81	79	41	39
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	21	<b>LIFETIME</b>				
More Than One Race	9	10	Any Illicit Drug <sup>2</sup>	71	75	38	39
Hispanic	31	30	Marijuana	62	63	34	34
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	59	62	35	37
Large Metro	58	51	Cigarettes	81	83	42	39
Small Metro	40	43	Alcohol	83	81	42	42
Nonmetro	27	29	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.10D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Use LSD Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use LSD Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.35	0.32	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.25	0.26	0.61	0.57
12-13	0.66	0.61	Marijuana	0.22	0.24	0.54	0.49
14-15	0.59	0.54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.17	0.17	0.49	0.45
16-17	0.55	0.50	Cigarettes	0.35	0.31	0.68	0.63
<b>GENDER</b>			Alcohol	0.34	0.34	0.68	0.61
Male	0.48	0.45	"Binge" Alcohol <sup>3</sup>	0.28	0.27	0.58	0.52
Female	0.49	0.49	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.36	0.36	0.74	0.73
Not Hispanic			Marijuana	0.32	0.30	0.66	0.62
White Only	0.39	0.36	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.28	0.28	0.64	0.61
Black Only	1.03	0.99	Cigarettes	0.42	0.39	0.79	0.69
American Indian or Alaska Native Only	3.74	3.73	Alcohol	0.47	0.45	0.87	0.77
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.44	2.67	<b>LIFETIME</b>				
More Than One Race	2.70	2.89	Any Illicit Drug <sup>2</sup>	0.41	0.42	0.80	0.78
Hispanic	1.01	0.94	Marijuana	0.36	0.36	0.73	0.67
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.34	0.35	0.73	0.73
Large Metro	0.53	0.46	Cigarettes	0.47	0.47	0.88	0.78
Small Metro	0.61	0.62	Alcohol	0.48	0.46	0.90	0.84
Nonmetro	0.61	0.63	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.10P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Using LSD Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Using LSD Once or Twice a Week: 2000 Versus 1999**

(I) Demographic Characteristic	Use LSD Once or Twice a Week <sup>1</sup>		(II) Drug Use	Use LSD Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0525		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9081		0.5392	
12-13	0.7451		Marijuana	0.9614		0.4949	
14-15	0.2640		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9335		0.9313	
16-17	0.0922		Cigarettes	0.0124		0.0067	
<b>GENDER</b>			Alcohol	0.3717		0.9161	
Male	0.1571		"Binge" Alcohol <sup>3</sup>	0.3183		0.6725	
Female	0.1930		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0240		0.1549	
Not Hispanic			Marijuana	0.0410		0.4593	
White Only	0.3128		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4022		0.2143	
Black Only	0.4337		Cigarettes	0.0000		0.0027	
American Indian or Alaska Native Only	0.5833		Alcohol	0.0421		0.3871	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2056		<b>LIFETIME</b>				
More Than One Race	0.4418		Any Illicit Drug <sup>2</sup>	0.3622		0.0976	
Hispanic	0.5385		Marijuana	0.4258		0.4892	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7878		0.1760	
Large Metro	0.7419		Cigarettes	0.0001		0.0306	
Small Metro	0.0603		Alcohol	0.0694		0.2098	
Nonmetro	0.0843		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.11C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000**

(I) Demographic Characteristic	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>		(II) Drug Use	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	94	86	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	36	36	37	38
12-13	52	46	Marijuana	32	33	33	33
14-15	54	51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	24	26	29
16-17	50	49	Cigarettes	48	42	46	45
<b>GENDER</b>			Alcohol	50	48	46	45
Male	65	63	"Binge" Alcohol <sup>3</sup>	39	35	39	39
Female	61	55	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	52	54	48	46
Not Hispanic			Marijuana	46	46	42	43
White Only	75	66	Any Illicit Drug Other Than Marijuana <sup>2</sup>	41	41	40	40
Black Only	33	37	Cigarettes	59	54	52	50
American Indian or Alaska Native Only	7	8	Alcohol	75	69	56	53
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	19	<b>LIFETIME</b>				
More Than One Race	11	13	Any Illicit Drug <sup>2</sup>	63	62	50	51
Hispanic	37	35	Marijuana	54	52	46	48
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	53	51	46	47
Large Metro	69	61	Cigarettes	71	69	52	57
Small Metro	52	51	Alcohol	79	72	56	53
Nonmetro	37	37	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.11D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000**

(I) Demographic Characteristic	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>		(II) Drug Use	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.41	0.37	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.25	0.25	0.44	0.46
12-13	0.71	0.60	Marijuana	0.22	0.22	0.40	0.40
14-15	0.69	0.64	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.17	0.16	0.31	0.34
16-17	0.65	0.65	Cigarettes	0.33	0.29	0.56	0.54
<b>GENDER</b>			Alcohol	0.35	0.32	0.56	0.54
Male	0.55	0.53	"Binge" Alcohol <sup>3</sup>	0.27	0.24	0.47	0.46
Female	0.55	0.49	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.36	0.37	0.58	0.55
Not Hispanic			Marijuana	0.32	0.31	0.51	0.51
White Only	0.50	0.43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.28	0.28	0.48	0.47
Black Only	1.06	1.11	Cigarettes	0.41	0.37	0.63	0.60
American Indian or Alaska Native Only	5.53	5.72	Alcohol	0.51	0.46	0.67	0.63
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.28	2.33	<b>LIFETIME</b>				
More Than One Race	3.09	3.46	Any Illicit Drug <sup>2</sup>	0.44	0.42	0.60	0.61
Hispanic	1.18	1.07	Marijuana	0.37	0.35	0.55	0.57
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.36	0.34	0.56	0.56
Large Metro	0.61	0.54	Cigarettes	0.49	0.47	0.63	0.68
Small Metro	0.76	0.72	Alcohol	0.55	0.49	0.67	0.63
Nonmetro	0.81	0.78	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.11P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 4 or 5 Drinks of an Alcoholic Beverage Nearly Every Day: 2000 Versus 1999**

(I) Demographic Characteristic	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>		(II) Drug Use	Have 4 or 5 Drinks of Alcoholic Beverage Nearly Every Day <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.7874		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.0873			0.1613
12-13	0.1744		Marijuana	0.1429			0.2100
14-15	0.8163		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4472			0.2157
16-17	0.5255		Cigarettes	0.0000			0.1921
<b>GENDER</b>			Alcohol	0.0466			0.2042
Male	0.1232		"Binge" Alcohol <sup>3</sup>	0.3828			0.0529
Female	0.1866		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0005			0.8539
Not Hispanic			Marijuana	0.0034			0.7940
White Only	0.8089		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0295			0.3814
Black Only	0.9652		Cigarettes	0.0000			0.0269
American Indian or Alaska Native Only	0.8928		Alcohol	0.0028			0.5795
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.9007		<b>LIFETIME</b>				
More Than One Race	0.4530		Any Illicit Drug <sup>2</sup>	0.0125			0.3757
Hispanic	0.4002		Marijuana	0.0152			0.1606
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1330			0.3228
Large Metro	0.1947		Cigarettes	0.0000			0.0579
Small Metro	0.5985		Alcohol	0.0067			0.9119
Nonmetro	0.5914		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.12C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcohol Beverage Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>		(II) Drug Use	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	94	90	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	29	28	42	48
12-13	52	50	Marijuana	24	25	37	41
14-15	51	55	Any Illicit Drug Other Than Marijuana <sup>2</sup>	21	19	32	33
16-17	52	48	Cigarettes	38	34	56	52
<b>GENDER</b>			Alcohol	38	36	56	54
Male	64	62	"Binge" Alcohol <sup>3</sup>	28	27	48	45
Female	64	65	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	41	41	58	57
Not Hispanic			Marijuana	36	35	51	51
White Only	76	69	Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	31	48	48
Black Only	35	37	Cigarettes	45	44	65	60
American Indian or Alaska Native Only	5	7	Alcohol	56	54	72	66
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	21	19	<b>LIFETIME</b>				
More Than One Race	12	17	Any Illicit Drug <sup>2</sup>	49	49	62	65
Hispanic	34	38	Marijuana	42	40	57	58
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	41	39	55	58
Large Metro	66	64	Cigarettes	54	55	67	67
Small Metro	53	50	Alcohol	61	56	71	69
Nonmetro	37	38	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.12D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcohol Beverage Once or Twice a Week: 1999 and 2000**

(I) Demographic Characteristic	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>		(II) Drug Use	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.41	0.39	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.31	0.28	0.32	0.36
12-13	0.70	0.66	Marijuana	0.25	0.25	0.28	0.31
14-15	0.66	0.69	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.22	0.19	0.24	0.25
16-17	0.68	0.64	Cigarettes	0.39	0.34	0.42	0.39
<b>GENDER</b>			Alcohol	0.40	0.36	0.43	0.41
Male	0.55	0.53	"Binge" Alcohol <sup>3</sup>	0.30	0.27	0.36	0.34
Female	0.58	0.57	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.43	0.41	0.44	0.44
Not Hispanic			Marijuana	0.38	0.35	0.39	0.39
White Only	0.50	0.46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.34	0.31	0.36	0.36
Black Only	1.12	1.12	Cigarettes	0.47	0.44	0.49	0.46
American Indian or Alaska Native Only	4.27	5.01	Alcohol	0.59	0.54	0.55	0.50
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.45	2.30	<b>LIFETIME</b>				
More Than One Race	3.32	4.72	Any Illicit Drug <sup>2</sup>	0.51	0.49	0.47	0.50
Hispanic	1.07	1.17	Marijuana	0.44	0.40	0.43	0.44
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.43	0.39	0.42	0.44
Large Metro	0.58	0.57	Cigarettes	0.57	0.55	0.51	0.51
Small Metro	0.78	0.70	Alcohol	0.64	0.56	0.54	0.52
Nonmetro	0.81	0.80	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.12P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Perceived Great Risk of Having 5 or More Drinks of an Alcoholic Beverage Once or Twice a Week, by Demographic Characteristics, and (II) Selected Drug Use, by Risk Perceptions of Having 5 or More Drinks of an Alcohol Beverage Once or Twice a Week: 2000 Versus 1999**

(I) Demographic Characteristic	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>		(II) Drug Use	Have 5 or More Drinks of Alcoholic Beverage Once or Twice a Week <sup>1</sup>			
	Great Risk			Great Risk		Moderate/Slight/No Risk	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0338		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2574			0.5037
12-13	0.0769		Marijuana	0.3923			0.5443
14-15	0.1956		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6889			0.4155
16-17	0.4630		Cigarettes	0.0099			0.0118
<b>GENDER</b>			Alcohol	0.2384			0.8028
Male	0.0204		"Binge" Alcohol <sup>3</sup>	0.6489			0.1142
Female	0.4048		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0273			0.2142
Not Hispanic			Marijuana	0.0488			0.4333
White Only	0.1541		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5578			0.5514
Black Only	0.9797		Cigarettes	0.0011			0.0000
American Indian or Alaska Native Only	0.7511		Alcohol	0.3052			0.0892
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.1037		<b>LIFETIME</b>				
More Than One Race	0.7893		Any Illicit Drug <sup>2</sup>	0.1073			0.7004
Hispanic	0.1063		Marijuana	0.0832			0.7078
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2893			0.7333
Large Metro	0.3367		Cigarettes	0.0009			0.0021
Small Metro	0.1724		Alcohol	0.1890			0.1398
Nonmetro	0.0645		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.13C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Marijuana <sup>1</sup>		(II) Drug Use	Ease of Obtaining Marijuana <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	93	97	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	48	49	19	19
12-13	48	49	Marijuana	44	45	13	14
14-15	52	51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	34	35	17	15
16-17	45	44	Cigarettes	61	59	25	29
<b>GENDER</b>			Alcohol	60	60	28	29
Male	64	64	"Binge" Alcohol <sup>3</sup>	51	50	20	20
Female	63	66	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	63	63	30	31
Not Hispanic			Marijuana	59	56	20	21
White Only	73	76	Any Illicit Drug Other Than Marijuana <sup>2</sup>	51	53	27	24
Black Only	35	37	Cigarettes	70	64	34	37
American Indian or Alaska Native Only	*	7	Alcohol	71	67	43	43
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	22	20	<b>LIFETIME</b>				
More Than One Race	10	10	Any Illicit Drug <sup>2</sup>	66	68	41	39
Hispanic	33	32	Marijuana	62	63	25	25
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	62	60	36	35
Large Metro	69	70	Cigarettes	69	68	47	48
Small Metro	51	51	Alcohol	68	66	51	51
Nonmetro	35	43	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.13D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Marijuana <sup>1</sup>		(II) Drug Use	Ease of Obtaining Marijuana <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.42	0.43	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.38	0.40	0.20	0.19
12-13	0.67	0.66	Marijuana	0.35	0.37	0.14	0.14
14-15	0.68	0.64	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.27	0.29	0.17	0.14
16-17	0.59	0.59	Cigarettes	0.48	0.48	0.26	0.28
<b>GENDER</b>			Alcohol	0.47	0.49	0.29	0.28
Male	0.55	0.55	"Binge" Alcohol <sup>3</sup>	0.41	0.40	0.21	0.19
Female	0.58	0.60	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.50	0.51	0.31	0.29
Not Hispanic			Marijuana	0.46	0.45	0.20	0.21
White Only	0.49	0.51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.43	0.27	0.23
Black Only	1.13	1.15	Cigarettes	0.55	0.52	0.35	0.36
American Indian or Alaska Native Only	*	5.11	Alcohol	0.56	0.55	0.44	0.41
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.54	2.53	<b>LIFETIME</b>				
More Than One Race	2.99	2.90	Any Illicit Drug <sup>2</sup>	0.52	0.55	0.42	0.37
Hispanic	1.06	1.01	Marijuana	0.49	0.51	0.25	0.24
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.49	0.48	0.37	0.33
Large Metro	0.61	0.63	Cigarettes	0.54	0.55	0.48	0.46
Small Metro	0.75	0.73	Alcohol	0.54	0.53	0.52	0.49
Nonmetro	0.78	0.93	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.13P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Marijuana Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Marijuana: 2000 Versus 1999**

(I) Demographic Characteristic	Ease of Obtaining Marijuana <sup>1</sup>		(II) Drug Use	Ease of Obtaining Marijuana <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2971		0.4518	
12-13	0.0655		Marijuana	0.4221		0.9495	
14-15	0.0027		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1349		0.2291	
16-17	0.0906		Cigarettes	0.0358		0.0682	
<b>GENDER</b>			Alcohol	0.7364		0.6047	
Male	0.0003		"Binge" Alcohol <sup>3</sup>	0.0455		0.8595	
Female	0.0100		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.3488		0.1757	
Not Hispanic			Marijuana	0.3383		0.8055	
White Only	0.0015		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4178		0.0243	
Black Only	0.1658		Cigarettes	0.0021		0.0013	
American Indian or Alaska Native Only	*		Alcohol	0.5762		0.5405	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.0082		<b>LIFETIME</b>				
More Than One Race	0.2684		Any Illicit Drug <sup>2</sup>	0.5238		0.1375	
Hispanic	0.2210		Marijuana	0.5554		0.7140	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1734		0.1139	
Large Metro	0.0435		Cigarettes	0.0116		0.0066	
Small Metro	0.0004		Alcohol	0.6824		0.4558	
Nonmetro	0.0819		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.14C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Cocaine <sup>1</sup>		(II) Drug Use	Ease of Obtaining Cocaine <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	83	76	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	34	36	40	41
12-13	39	35	Marijuana	31	32	34	36
14-15	47	44	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	27	27	25
16-17	48	48	Cigarettes	43	38	53	50
<b>GENDER</b>			Alcohol	41	38	54	54
Male	56	51	"Binge" Alcohol <sup>3</sup>	35	34	43	42
Female	59	58	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	45	43	57	58
Not Hispanic			Marijuana	41	39	50	48
White Only	64	61	Any Illicit Drug Other Than Marijuana <sup>2</sup>	39	38	46	43
Black Only	34	32	Cigarettes	48	41	65	62
American Indian or Alaska Native Only	5	*	Alcohol	47	44	74	75
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	17	15	<b>LIFETIME</b>				
More Than One Race	10	11	Any Illicit Drug <sup>2</sup>	48	46	66	69
Hispanic	31	31	Marijuana	46	43	55	54
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	44	43	56	58
Large Metro	62	54	Cigarettes	49	46	76	76
Small Metro	44	41	Alcohol	48	45	78	81
Nonmetro	33	35	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.14D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Cocaine <sup>1</sup>		(II) Drug Use	Ease of Obtaining Cocaine <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.38	0.34	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.57	0.63	0.25	0.24
12-13	0.56	0.47	Marijuana	0.52	0.57	0.21	0.21
14-15	0.63	0.57	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.42	0.47	0.17	0.15
16-17	0.66	0.66	Cigarettes	0.71	0.68	0.33	0.30
<b>GENDER</b>			Alcohol	0.68	0.68	0.34	0.32
Male	0.50	0.44	"Binge" Alcohol <sup>3</sup>	0.59	0.61	0.27	0.25
Female	0.55	0.53	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.74	0.76	0.36	0.35
Not Hispanic			Marijuana	0.68	0.69	0.31	0.29
White Only	0.44	0.41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.65	0.68	0.29	0.26
Black Only	1.13	1.00	Cigarettes	0.80	0.73	0.41	0.37
American Indian or Alaska Native Only	4.08	*	Alcohol	0.77	0.77	0.46	0.45
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.99	1.84	<b>LIFETIME</b>				
More Than One Race	2.96	3.31	Any Illicit Drug <sup>2</sup>	0.79	0.82	0.42	0.41
Hispanic	1.03	0.96	Marijuana	0.77	0.75	0.35	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.72	0.77	0.35	0.34
Large Metro	0.56	0.50	Cigarettes	0.82	0.82	0.48	0.45
Small Metro	0.68	0.59	Alcohol	0.79	0.79	0.49	0.48
Nonmetro	0.74	0.77	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.14P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Cocaine Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Cocaine: 2000 Versus 1999**

(I) Demographic Characteristic	Ease of Obtaining Cocaine <sup>1</sup>		(II) Drug Use	Ease of Obtaining Cocaine <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1188		0.5507	
12-13	0.0002		Marijuana	0.3094		0.9350	
14-15	0.0021		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0204		0.2422	
16-17	0.1966		Cigarettes	0.3005		0.0034	
<b>GENDER</b>			Alcohol	0.8096		0.9481	
Male	0.0000		"Binge" Alcohol <sup>3</sup>	0.0695		0.6844	
Female	0.0103		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.5624		0.0828	
Not Hispanic			Marijuana	0.7079		0.2500	
White Only	0.0001		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2497		0.1102	
Black Only	0.0033		Cigarettes	0.2324		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.9603		0.1596	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.7116		<b>LIFETIME</b>				
More Than One Race	0.4402		Any Illicit Drug <sup>2</sup>	0.4664		0.1841	
Hispanic	0.3917		Marijuana	0.5402		0.5993	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0416		0.1713	
Large Metro	0.0255		Cigarettes	0.3040		0.0002	
Small Metro	0.0001		Alcohol	0.2694		0.0705	
Nonmetro	0.0314		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.15C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Crack <sup>1</sup>		(II) Drug Use	Ease of Obtaining Crack <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	85	86	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	33	34	40	43
12-13	42	40	Marijuana	30	30	34	39
14-15	50	48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	26	29	27
16-17	48	48	Cigarettes	40	37	55	52
<b>GENDER</b>			Alcohol	41	41	54	55
Male	57	54	"Binge" Alcohol <sup>3</sup>	33	35	45	43
Female	59	63	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	43	42	59	58
Not Hispanic			Marijuana	41	37	50	49
White Only	65	63	Any Illicit Drug Other Than Marijuana <sup>2</sup>	35	37	47	45
Black Only	33	33	Cigarettes	47	41	66	64
American Indian or Alaska Native Only	*	6	Alcohol	50	45	72	75
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18	15	<b>LIFETIME</b>				
More Than One Race	10	12	Any Illicit Drug <sup>2</sup>	46	47	67	72
Hispanic	30	33	Marijuana	44	41	55	57
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	41	42	58	60
Large Metro	63	64	Cigarettes	50	48	75	78
Small Metro	43	41	Alcohol	50	46	76	80
Nonmetro	33	35	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.15D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Crack <sup>1</sup>		(II) Drug Use	Ease of Obtaining Crack <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.39	0.38	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.53	0.56	0.26	0.26
12-13	0.59	0.54	Marijuana	0.49	0.49	0.22	0.23
14-15	0.67	0.62	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.39	0.43	0.18	0.17
16-17	0.65	0.66	Cigarettes	0.64	0.61	0.35	0.32
<b>GENDER</b>			Alcohol	0.66	0.68	0.35	0.34
Male	0.51	0.47	"Binge" Alcohol <sup>3</sup>	0.53	0.57	0.29	0.26
Female	0.56	0.58	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.69	0.69	0.37	0.35
Not Hispanic			Marijuana	0.65	0.61	0.32	0.30
White Only	0.45	0.43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.56	0.61	0.30	0.27
Black Only	1.07	1.02	Cigarettes	0.76	0.68	0.42	0.39
American Indian or Alaska Native Only	*	4.05	Alcohol	0.81	0.75	0.46	0.46
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.08	1.86	<b>LIFETIME</b>				
More Than One Race	3.02	3.46	Any Illicit Drug <sup>2</sup>	0.73	0.78	0.43	0.44
Hispanic	0.99	1.01	Marijuana	0.71	0.69	0.35	0.35
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.65	0.71	0.37	0.37
Large Metro	0.58	0.59	Cigarettes	0.80	0.79	0.48	0.48
Small Metro	0.66	0.60	Alcohol	0.80	0.77	0.48	0.49
Nonmetro	0.76	0.76	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.15P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Crack Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Crack: 2000 Versus 1999**

(I) Demographic Characteristic	Ease of Obtaining Crack <sup>1</sup>		(II) Drug Use	Ease of Obtaining Crack <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0021		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9268		0.6735	
12-13	0.0185		Marijuana	0.5997		0.3845	
14-15	0.0336		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2918		0.8870	
16-17	0.4205		Cigarettes	0.1040		0.0062	
<b>GENDER</b>			Alcohol	0.7827		0.8299	
Male	0.0033		"Binge" Alcohol <sup>3</sup>	0.3448		0.4051	
Female	0.1332		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1836		0.0939	
Not Hispanic			Marijuana	0.1280		0.4203	
White Only	0.0673		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6262		0.1770	
Black Only	0.0021		Cigarettes	0.0165		0.0001	
American Indian or Alaska Native Only	*		Alcohol	0.9144		0.0647	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2386		<b>LIFETIME</b>				
More Than One Race	0.4937		Any Illicit Drug <sup>2</sup>	0.7399		0.3767	
Hispanic	0.4254		Marijuana	0.5600		0.9172	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2802		0.4010	
Large Metro	0.5068		Cigarettes	0.0978		0.0004	
Small Metro	0.0000		Alcohol	0.7030		0.0460	
Nonmetro	0.3002		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.16C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Heroin <sup>1</sup>		(II) Drug Use	Ease of Obtaining Heroin <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	72	69	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	27	25	46	48
12-13	34	31	Marijuana	23	23	40	43
14-15	43	41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20	19	32	33
16-17	43	44	Cigarettes	31	29	62	58
<b>GENDER</b>			Alcohol	31	33	58	61
Male	48	45	"Binge" Alcohol <sup>3</sup>	25	28	50	48
Female	51	48	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	35	32	64	64
Not Hispanic			Marijuana	31	28	56	54
White Only	54	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	29	52	51
Black Only	30	28	Cigarettes	37	33	72	69
American Indian or Alaska Native Only	5	5	Alcohol	37	37	82	82
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	13	10	<b>LIFETIME</b>				
More Than One Race	8	11	Any Illicit Drug <sup>2</sup>	38	35	71	76
Hispanic	28	26	Marijuana	34	31	62	62
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	33	62	64
Large Metro	52	54	Cigarettes	41	37	81	85
Small Metro	38	32	Alcohol	38	38	84	86
Nonmetro	27	28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.16D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining Heroin <sup>1</sup>		(II) Drug Use	Ease of Obtaining Heroin <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.33	0.31	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.69	0.67	0.26	0.26
12-13	0.48	0.42	Marijuana	0.59	0.61	0.22	0.23
14-15	0.58	0.53	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.50	0.51	0.18	0.18
16-17	0.59	0.60	Cigarettes	0.78	0.75	0.35	0.31
<b>GENDER</b>			Alcohol	0.78	0.86	0.33	0.33
Male	0.43	0.39	"Binge" Alcohol <sup>3</sup>	0.62	0.73	0.28	0.26
Female	0.48	0.44	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.89	0.84	0.36	0.35
Not Hispanic			Marijuana	0.78	0.73	0.31	0.29
White Only	0.38	0.35	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.73	0.76	0.29	0.28
Black Only	1.00	0.89	Cigarettes	0.94	0.87	0.40	0.37
American Indian or Alaska Native Only	4.06	3.96	Alcohol	0.93	0.96	0.46	0.44
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.52	1.31	<b>LIFETIME</b>				
More Than One Race	2.43	3.14	Any Illicit Drug <sup>2</sup>	0.96	0.92	0.40	0.41
Hispanic	0.93	0.82	Marijuana	0.87	0.82	0.35	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.84	0.86	0.35	0.35
Large Metro	0.48	0.49	Cigarettes	1.03	0.97	0.46	0.46
Small Metro	0.57	0.46	Alcohol	0.97	1.00	0.47	0.46
Nonmetro	0.63	0.61	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.16P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That Heroin Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining Heroin: 2000 Versus 1999**

(I) Demographic Characteristic	Ease of Obtaining Heroin <sup>1</sup>		(II) Drug Use	Ease of Obtaining Heroin <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0073		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2211			0.4478
12-13	0.0001		Marijuana	0.4325			0.7068
14-15	0.4366		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3660			0.8312
16-17	0.8201		Cigarettes	0.4780			0.0012
<b>GENDER</b>			Alcohol	0.8392			0.9420
Male	0.0023		"Binge" Alcohol <sup>3</sup>	0.3393			0.4815
Female	0.3995		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.7460			0.0102
Not Hispanic			Marijuana	0.3527			0.1174
White Only	0.0193		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1542			0.0545
Black Only	0.2298		Cigarettes	0.2799			0.0000
American Indian or Alaska Native Only	0.5858		Alcohol	0.5599			0.0379
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.4659		<b>LIFETIME</b>				
More Than One Race	0.3504		Any Illicit Drug <sup>2</sup>	0.3649			0.0551
Hispanic	0.2124		Marijuana	0.8730			0.3570
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0817			0.1610
Large Metro	0.1590		Cigarettes	0.6753			0.0000
Small Metro	0.0129		Alcohol	0.1250			0.0175
Nonmetro	0.3923		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.17C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining LSD <sup>1</sup>		(II) Drug Use	Ease of Obtaining LSD <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	79	78	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	34	34	40	42
12-13	33	30	Marijuana	33	31	34	37
14-15	45	45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	27	27	27
16-17	50	48	Cigarettes	42	38	52	50
<b>GENDER</b>			Alcohol	41	36	52	54
Male	55	49	"Binge" Alcohol <sup>3</sup>	35	33	42	41
Female	55	58	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	44	40	56	58
Not Hispanic			Marijuana	41	37	47	48
White Only	63	65	Any Illicit Drug Other Than Marijuana <sup>2</sup>	38	36	42	44
Black Only	29	25	Cigarettes	46	42	64	64
American Indian or Alaska Native Only	3	4	Alcohol	47	41	74	74
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	17	16	<b>LIFETIME</b>				
More Than One Race	10	11	Any Illicit Drug <sup>2</sup>	47	43	66	70
Hispanic	29	27	Marijuana	44	42	54	56
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	43	41	54	57
Large Metro	57	58	Cigarettes	45	44	76	76
Small Metro	46	42	Alcohol	44	41	79	80
Nonmetro	32	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.17D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 1999 and 2000**

(I) Demographic Characteristic	Ease of Obtaining LSD <sup>1</sup>		(II) Drug Use	Ease of Obtaining LSD <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.37	0.35	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.64	0.67	0.25	0.25
12-13	0.48	0.41	Marijuana	0.61	0.61	0.21	0.22
14-15	0.61	0.58	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.45	0.52	0.17	0.16
16-17	0.68	0.66	Cigarettes	0.79	0.75	0.32	0.29
<b>GENDER</b>			Alcohol	0.77	0.70	0.32	0.32
Male	0.50	0.43	"Binge" Alcohol <sup>3</sup>	0.66	0.64	0.26	0.24
Female	0.52	0.53	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.82	0.78	0.34	0.34
Not Hispanic			Marijuana	0.77	0.73	0.29	0.28
White Only	0.44	0.44	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.70	0.71	0.26	0.25
Black Only	0.97	0.78	Cigarettes	0.86	0.82	0.39	0.37
American Indian or Alaska Native Only	2.56	3.24	Alcohol	0.87	0.81	0.46	0.43
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.08	2.01	<b>LIFETIME</b>				
More Than One Race	3.03	3.14	Any Illicit Drug <sup>2</sup>	0.87	0.83	0.41	0.41
Hispanic	0.97	0.84	Marijuana	0.82	0.81	0.33	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.79	0.80	0.34	0.33
Large Metro	0.53	0.54	Cigarettes	0.84	0.86	0.47	0.44
Small Metro	0.71	0.61	Alcohol	0.82	0.81	0.49	0.47
Nonmetro	0.75	0.67	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.17P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That LSD Is Fairly or Very Easy to Obtain, by Demographic Characteristics, and (II) Selected Drug Use, by Ease of Obtaining LSD: 2000 Versus 1999**

(I) Demographic Characteristic	Ease of Obtaining LSD <sup>1</sup>		(II) Drug Use	Ease of Obtaining LSD <sup>1</sup>			
	Fairly/Very Easy			Fairly/Very Easy		Fairly/Very Difficult/Impossible	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0001		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.5894		0.8145	
12-13	0.0013		Marijuana	0.9205		0.3892	
14-15	0.0869		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1096		0.5329	
16-17	0.0707		Cigarettes	0.0124		0.0980	
<b>GENDER</b>			Alcohol	0.1138		0.1040	
Male	0.0001		"Binge" Alcohol <sup>3</sup>	0.7276		0.0211	
Female	0.0764		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.2609		0.1990	
Not Hispanic			Marijuana	0.1656		0.8261	
White Only	0.0001		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8482		0.4230	
Black Only	0.3179		Cigarettes	0.0057		0.0005	
American Indian or Alaska Native Only	0.9273		Alcohol	0.1395		0.7506	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.9003		<b>LIFETIME</b>				
More Than One Race	0.8650		Any Illicit Drug <sup>2</sup>	0.7856		0.5931	
Hispanic	0.5854		Marijuana	0.6776		0.6895	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6524		0.7514	
Large Metro	0.1415		Cigarettes	0.0241		0.0026	
Small Metro	0.0077		Alcohol	0.4644		0.5564	
Nonmetro	0.0016		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.18C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 1999 and 2000**

(I) Demographic Characteristic	Approached in Past Month by Someone Selling Drugs <sup>1</sup>		(II) Drug Use	Approached in Past Month by Someone Selling Drugs <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	68	71	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	32	36	39	40
12-13	27	27	Marijuana	31	34	31	32
14-15	39	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	30	27	25
16-17	45	47	Cigarettes	36	37	56	48
<b>GENDER</b>			Alcohol	36	35	56	55
Male	51	52	"Binge" Alcohol <sup>3</sup>	33	33	43	41
Female	46	42	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	38	38	58	55
Not Hispanic			Marijuana	37	37	48	45
White Only	54	57	Any Illicit Drug Other Than Marijuana <sup>2</sup>	34	35	44	43
Black Only	28	26	Cigarettes	39	38	69	64
American Indian or Alaska Native Only	4	6	Alcohol	35	35	81	78
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	12	13	<b>LIFETIME</b>				
More Than One Race	10	12	Any Illicit Drug <sup>2</sup>	38	36	70	70
Hispanic	29	27	Marijuana	38	37	57	56
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	37	37	58	57
Large Metro	51	52	Cigarettes	35	36	82	78
Small Metro	35	38	Alcohol	32	32	86	85
Nonmetro	27	28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.18D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 1999 and 2000**

(I) Demographic Characteristic	Approached in Past Month by Someone Selling Drugs <sup>1</sup>		(II) Drug Use	Approached in Past Month by Someone Selling Drugs <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.30	0.31	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.90	0.98	0.20	0.20
12-13	0.37	0.34	Marijuana	0.85	0.92	0.16	0.16
14-15	0.50	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.69	0.80	0.14	0.13
16-17	0.58	0.62	Cigarettes	0.99	1.00	0.29	0.24
<b>GENDER</b>			Alcohol	1.00	0.94	0.29	0.28
Male	0.43	0.44	"Binge" Alcohol <sup>3</sup>	0.93	0.89	0.22	0.21
Female	0.41	0.37	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.04	1.02	0.30	0.28
Not Hispanic			Marijuana	1.02	1.00	0.25	0.23
White Only	0.35	0.37	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.93	0.94	0.23	0.22
Black Only	0.89	0.79	Cigarettes	1.07	1.03	0.36	0.33
American Indian or Alaska Native Only	3.12	4.00	Alcohol	0.97	0.95	0.42	0.40
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.34	1.59	<b>LIFETIME</b>				
More Than One Race	2.67	3.24	Any Illicit Drug <sup>2</sup>	1.06	0.99	0.36	0.36
Hispanic	0.90	0.81	Marijuana	1.04	1.01	0.29	0.28
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.03	1.00	0.30	0.29
Large Metro	0.45	0.45	Cigarettes	0.99	0.97	0.42	0.40
Small Metro	0.51	0.53	Alcohol	0.89	0.87	0.44	0.43
Nonmetro	0.59	0.59	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.18P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Been Approached in Past Month by Someone Selling Drugs, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Have Been Approached by Someone Selling Drugs: 2000 Versus 1999**

(I) Demographic Characteristic	Approached in Past Month by Someone Selling Drugs <sup>1</sup>		(II) Drug Use	Approached in Past Month by Someone Selling Drugs <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.5847		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8651		0.8466	
12-13	0.3344		Marijuana	0.3674		0.5421	
14-15	0.9733		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1306		0.3104	
16-17	0.4710		Cigarettes	0.1121		0.0004	
<b>GENDER</b>			Alcohol	0.4280		0.8220	
Male	0.8117		"Binge" Alcohol <sup>3</sup>	1.0000		0.2690	
Female	0.5688		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0461		0.0526	
Not Hispanic			Marijuana	0.0710		0.1968	
White Only	0.1311		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8122		0.1023	
Black Only	0.1836		Cigarettes	0.0159		0.0000	
American Indian or Alaska Native Only	0.4194		Alcohol	0.0969		0.1062	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.6431		<b>LIFETIME</b>				
More Than One Race	0.6460		Any Illicit Drug <sup>2</sup>	0.0269		0.5804	
Hispanic	0.8835		Marijuana	0.0689		0.9654	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7580		0.6666	
Large Metro	0.1622		Cigarettes	0.0039		0.0002	
Small Metro	0.5818		Alcohol	0.1117		0.0783	
Nonmetro	0.7111		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.19C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 1999 and 2000**

(I) Demographic Characteristic	Number of Times Moved in Past 5 Years <sup>1</sup>		(II) Drug Use	Number of Times Moved in Past 5 Years <sup>1</sup>			
	Two or More			Two or More		Less Than Two	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	92	93	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	27	33	44	45
12-13	47	48	Marijuana	25	29	38	40
14-15	47	48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20	23	32	31
16-17	48	46	Cigarettes	38	36	55	53
<b>GENDER</b>			Alcohol	35	35	60	58
Male	58	61	"Binge" Alcohol <sup>3</sup>	30	31	47	44
Female	61	60	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	39	39	62	61
Not Hispanic			Marijuana	36	36	53	53
White Only	64	71	Any Illicit Drug Other Than Marijuana <sup>2</sup>	31	34	49	47
Black Only	37	38	Cigarettes	43	45	67	65
American Indian or Alaska Native Only	7	7	Alcohol	46	44	81	76
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	19	20	<b>LIFETIME</b>				
More Than One Race	12	13	Any Illicit Drug <sup>2</sup>	42	46	68	68
Hispanic	37	35	Marijuana	40	41	58	62
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	37	40	58	57
Large Metro	70	71	Cigarettes	45	52	77	78
Small Metro	45	49	Alcohol	46	49	82	79
Nonmetro	39	37	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.19D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 1999 and 2000**

(I) Demographic Characteristic	Number of Times Moved in Past 5 Years <sup>1</sup>		(II) Drug Use	Number of Times Moved in Past 5 Years <sup>1</sup>			
	Two or More			Two or More		Less Than Two	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.41	0.40	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.48	0.55	0.26	0.27
12-13	0.64	0.63	Marijuana	0.44	0.48	0.23	0.23
14-15	0.61	0.60	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.35	0.39	0.19	0.18
16-17	0.63	0.61	Cigarettes	0.66	0.60	0.32	0.31
<b>GENDER</b>			Alcohol	0.61	0.59	0.36	0.34
Male	0.50	0.52	"Binge" Alcohol <sup>3</sup>	0.52	0.52	0.27	0.26
Female	0.55	0.53	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.69	0.66	0.36	0.36
Not Hispanic			Marijuana	0.63	0.60	0.32	0.31
White Only	0.43	0.47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.54	0.57	0.29	0.28
Black Only	1.20	1.16	Cigarettes	0.74	0.75	0.40	0.38
American Indian or Alaska Native Only	5.58	4.60	Alcohol	0.80	0.74	0.48	0.44
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.19	2.43	<b>LIFETIME</b>				
More Than One Race	3.32	3.67	Any Illicit Drug <sup>2</sup>	0.73	0.77	0.40	0.40
Hispanic	1.19	1.08	Marijuana	0.69	0.68	0.34	0.36
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.64	0.67	0.34	0.33
Large Metro	0.62	0.64	Cigarettes	0.79	0.87	0.46	0.46
Small Metro	0.66	0.69	Alcohol	0.81	0.82	0.48	0.46
Nonmetro	0.85	0.78	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.19P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) Having Moved Two or More Times in the Past Five Years, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Moved in the Past Five Years: 2000 Versus 1999**

(I) Demographic Characteristic	Number of Times Moved in Past 5 Years <sup>1</sup>		(II) Drug Use	Number of Times Moved in Past 5 Years <sup>1</sup>			
	Two or More			Two or More		Less Than Two	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.1903		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.6455		0.5013	
12-13	0.7846		Marijuana	0.5324		0.5454	
14-15	0.1307		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4518		0.9256	
16-17	0.2361		Cigarettes	0.0160		0.0082	
<b>GENDER</b>			Alcohol	0.6111		0.2660	
Male	0.0850		"Binge" Alcohol <sup>3</sup>	0.1253		0.9309	
Female	0.8306		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.2130		0.0396	
Not Hispanic			Marijuana	0.6558		0.0519	
White Only	0.1187		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8846		0.2692	
Black Only	0.8901		Cigarettes	0.0422		0.0000	
American Indian or Alaska Native Only	0.0808		Alcohol	0.6483		0.0317	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.4211		<b>LIFETIME</b>				
More Than One Race	0.5985		Any Illicit Drug <sup>2</sup>	0.5245		0.1472	
Hispanic	0.7745		Marijuana	0.8577		0.3120	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9878		0.4385	
Large Metro	0.7558		Cigarettes	0.2666		0.0000	
Small Metro	0.1298		Alcohol	0.9530		0.0103	
Nonmetro	0.0651		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.20C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Crime in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Crime in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	93	94	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	28	27	45	47
12-13	44	47	Marijuana	25	24	38	40
14-15	46	46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	18	20	33	33
16-17	48	49	Cigarettes	33	31	60	55
<b>GENDER</b>			Alcohol	33	33	60	62
Male	59	64	"Binge" Alcohol <sup>3</sup>	26	28	51	48
Female	59	57	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	36	34	64	61
Not Hispanic			Marijuana	33	30	55	53
White Only	60	65	Any Illicit Drug Other Than Marijuana <sup>2</sup>	28	31	53	50
Black Only	40	41	Cigarettes	39	39	72	65
American Indian or Alaska Native Only	6	*	Alcohol	41	44	83	78
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18	21	<b>LIFETIME</b>				
More Than One Race	10	10	Any Illicit Drug <sup>2</sup>	38	40	74	71
Hispanic	36	33	Marijuana	36	34	62	61
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	36	66	62
Large Metro	75	72	Cigarettes	43	44	81	79
Small Metro	46	47	Alcohol	44	45	86	83
Nonmetro	30	38	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.20D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Crime in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Crime in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.40	0.41	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.56	0.51	0.25	0.26
12-13	0.59	0.61	Marijuana	0.50	0.46	0.22	0.22
14-15	0.60	0.58	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.35	0.39	0.19	0.18
16-17	0.63	0.65	Cigarettes	0.65	0.59	0.34	0.31
<b>GENDER</b>			Alcohol	0.65	0.63	0.34	0.34
Male	0.51	0.54	"Binge" Alcohol <sup>3</sup>	0.50	0.53	0.29	0.27
Female	0.53	0.51	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.71	0.66	0.36	0.34
Not Hispanic			Marijuana	0.64	0.57	0.31	0.29
White Only	0.40	0.43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.55	0.59	0.30	0.28
Black Only	1.27	1.24	Cigarettes	0.78	0.74	0.40	0.36
American Indian or Alaska Native Only	4.77	*	Alcohol	0.82	0.84	0.47	0.44
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.02	2.53	<b>LIFETIME</b>				
More Than One Race	2.81	2.83	Any Illicit Drug <sup>2</sup>	0.75	0.76	0.42	0.40
Hispanic	1.14	1.00	Marijuana	0.71	0.65	0.35	0.34
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.64	0.68	0.37	0.35
Large Metro	0.66	0.64	Cigarettes	0.84	0.85	0.46	0.44
Small Metro	0.67	0.66	Alcohol	0.86	0.85	0.48	0.46
Nonmetro	0.65	0.80	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.20P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Crime in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There is a Lot of Crime in Neighborhood: 2000 Versus 1999**

(I) Demographic Characteristic	A Lot of Crime in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Crime in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.3156		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8896		0.7576	
12-13	0.5684		Marijuana	0.8227		0.9233	
14-15	0.8013		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1520		0.7537	
16-17	0.1023		Cigarettes	0.1052		0.0012	
<b>GENDER</b>			Alcohol	0.4999		0.3547	
Male	0.2470		"Binge" Alcohol <sup>3</sup>	0.1315		0.7677	
Female	0.7535		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1114		0.0423	
Not Hispanic			Marijuana	0.1082		0.1777	
White Only	0.8393		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4973		0.1276	
Black Only	0.3828		Cigarettes	0.0455		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.9289		0.0227	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.1863		<b>LIFETIME</b>				
More Than One Race	0.9292		Any Illicit Drug <sup>2</sup>	0.3263		0.2317	
Hispanic	0.6008		Marijuana	0.2179		0.6758	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7885		0.4443	
Large Metro	0.5393		Cigarettes	0.0311		0.0000	
Small Metro	0.4139		Alcohol	0.3630		0.0447	
Nonmetro	0.5417		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.21C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Drug Selling in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Drug Selling in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	98	90	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	36	35	40	40
12-13	43	44	Marijuana	33	32	34	34
14-15	49	48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	23	25	30	28
16-17	52	49	Cigarettes	40	38	54	49
<b>GENDER</b>			Alcohol	38	38	56	55
Male	62	57	"Binge" Alcohol <sup>3</sup>	32	32	45	44
Female	64	61	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	41	43	62	55
Not Hispanic			Marijuana	39	39	52	47
White Only	62	67	Any Illicit Drug Other Than Marijuana <sup>2</sup>	34	38	47	44
Black Only	43	38	Cigarettes	46	42	66	63
American Indian or Alaska Native Only	*	*	Alcohol	44	48	77	73
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	15	16	<b>LIFETIME</b>				
More Than One Race	12	9	Any Illicit Drug <sup>2</sup>	44	48	69	67
Hispanic	36	35	Marijuana	42	42	56	55
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	39	44	61	57
Large Metro	78	65	Cigarettes	45	46	79	78
Small Metro	48	44	Alcohol	45	49	80	78
Nonmetro	33	40	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.21D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Drug Selling in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Drug Selling in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.44	0.39	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.64	0.58	0.24	0.24
12-13	0.59	0.58	Marijuana	0.60	0.53	0.20	0.20
14-15	0.65	0.61	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.41	0.41	0.18	0.17
16-17	0.69	0.66	Cigarettes	0.72	0.62	0.32	0.29
<b>GENDER</b>			Alcohol	0.68	0.63	0.33	0.33
Male	0.54	0.49	"Binge" Alcohol <sup>3</sup>	0.58	0.53	0.27	0.26
Female	0.58	0.55	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.74	0.71	0.36	0.33
Not Hispanic			Marijuana	0.69	0.64	0.31	0.28
White Only	0.42	0.45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.61	0.62	0.28	0.26
Black Only	1.39	1.18	Cigarettes	0.83	0.70	0.39	0.37
American Indian or Alaska Native Only	*	*	Alcohol	0.80	0.79	0.46	0.44
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.80	2.07	<b>LIFETIME</b>				
More Than One Race	3.36	2.69	Any Illicit Drug <sup>2</sup>	0.78	0.79	0.41	0.40
Hispanic	1.15	1.07	Marijuana	0.76	0.70	0.33	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.71	0.72	0.36	0.34
Large Metro	0.70	0.59	Cigarettes	0.81	0.75	0.47	0.46
Small Metro	0.71	0.63	Alcohol	0.81	0.80	0.47	0.46
Nonmetro	0.74	0.86	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.21P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That a Lot of Drug Selling Goes On in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That a Lot of Drug Selling Goes On in Neighborhood: 2000 Versus 1999**

(I) Demographic Characteristic	A Lot of Drug Selling in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Drug Selling in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0010		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2979		1.0000	
12-13	0.0895		Marijuana	0.1272		0.4344	
14-15	0.0549		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5742		0.7309	
16-17	0.0019		Cigarettes	0.0074		0.0008	
<b>GENDER</b>			Alcohol	0.5035		0.6043	
Male	0.0430		"Binge" Alcohol <sup>3</sup>	0.9456		0.3924	
Female	0.0031		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0050		0.0677	
Not Hispanic			Marijuana	0.0056		0.2713	
White Only	0.0008		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2532		0.3697	
Black Only	0.3732		Cigarettes	0.0002		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.4778		0.0080	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.8582		<b>LIFETIME</b>				
More Than One Race	0.0659		Any Illicit Drug <sup>2</sup>	0.0243		0.3269	
Hispanic	0.1951		Marijuana	0.0116		0.9264	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4875		0.4729	
Large Metro	0.0344		Cigarettes	0.0047		0.0000	
Small Metro	0.0369		Alcohol	0.0948		0.0267	
Nonmetro	0.0438		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.22C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 1999 and 2000**

(I) Demographic Characteristic	People in Neighborhood Often Help Each Other <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Help Each Other <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	81	80	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	43	45	29	27
12-13	40	41	Marijuana	37	40	28	25
14-15	44	43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	31	20	20
16-17	49	48	Cigarettes	60	54	34	31
<b>GENDER</b>			Alcohol	60	59	33	32
Male	55	56	"Binge" Alcohol <sup>3</sup>	47	48	29	26
Female	52	54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	64	60	37	37
Not Hispanic			Marijuana	55	51	34	32
White Only	59	58	Any Illicit Drug Other Than Marijuana <sup>2</sup>	52	49	30	30
Black Only	36	32	Cigarettes	71	65	40	40
American Indian or Alaska Native Only	*	6	Alcohol	83	76	40	42
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	17	20	<b>LIFETIME</b>				
More Than One Race	11	12	Any Illicit Drug <sup>2</sup>	71	74	41	39
Hispanic	29	29	Marijuana	62	59	37	36
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	61	63	37	34
Large Metro	61	57	Cigarettes	81	78	42	46
Small Metro	45	45	Alcohol	85	82	41	44
Nonmetro	30	32	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.22D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 1999 and 2000**

(I) Demographic Characteristic	People in Neighborhood Often Help Each Other <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Help Each Other <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.36	0.35	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.24	0.25	0.59	0.56
12-13	0.53	0.54	Marijuana	0.21	0.22	0.56	0.51
14-15	0.57	0.54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.18	0.17	0.40	0.41
16-17	0.64	0.64	Cigarettes	0.34	0.30	0.70	0.64
<b>GENDER</b>			Alcohol	0.34	0.33	0.68	0.65
Male	0.47	0.47	"Binge" Alcohol <sup>3</sup>	0.26	0.27	0.60	0.53
Female	0.46	0.48	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.36	0.33	0.74	0.75
Not Hispanic			Marijuana	0.31	0.28	0.68	0.65
White Only	0.39	0.38	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.29	0.27	0.62	0.61
Black Only	1.17	0.97	Cigarettes	0.40	0.36	0.82	0.81
American Indian or Alaska Native Only	*	4.52	Alcohol	0.47	0.42	0.82	0.86
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.94	2.41	<b>LIFETIME</b>				
More Than One Race	2.95	3.40	Any Illicit Drug <sup>2</sup>	0.40	0.41	0.82	0.80
Hispanic	0.91	0.90	Marijuana	0.35	0.33	0.76	0.73
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.34	0.35	0.74	0.69
Large Metro	0.54	0.51	Cigarettes	0.45	0.43	0.86	0.93
Small Metro	0.66	0.63	Alcohol	0.48	0.45	0.82	0.90
Nonmetro	0.65	0.68	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.22P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Help Each Other, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Neighborhood Often Help Each Other: 2000 Versus 1999**

(I) Demographic Characteristic	People in Neighborhood Often Help Each Other <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Help Each Other <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.4951		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9419		0.9509	
12-13	0.1827		Marijuana	0.7171		0.7243	
14-15	0.0064		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9598		0.5394	
16-17	0.6408		Cigarettes	0.0035		0.0383	
<b>GENDER</b>			Alcohol	0.9358		0.6667	
Male	0.8510		"Binge" Alcohol <sup>3</sup>	0.1858		0.9418	
Female	0.4007		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0384		0.1813	
Not Hispanic			Marijuana	0.3361		0.0598	
White Only	0.6282		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2720		0.8070	
Black Only	0.0811		Cigarettes	0.0000		0.0107	
American Indian or Alaska Native Only	*		Alcohol	0.0675		0.5518	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2290		<b>LIFETIME</b>				
More Than One Race	0.4589		Any Illicit Drug <sup>2</sup>	0.1008		0.8553	
Hispanic	0.7245		Marijuana	0.6519		0.4783	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4619		0.9547	
Large Metro	0.9339		Cigarettes	0.0000		0.0960	
Small Metro	0.0601		Alcohol	0.0423		0.8524	
Nonmetro	0.3722		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.23C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Street Fights in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Street Fights in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	80	78	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	25	25	47	48
12-13	39	41	Marijuana	22	24	41	42
14-15	41	41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	18	19	34	34
16-17	39	42	Cigarettes	25	30	65	56
<b>GENDER</b>			Alcohol	26	28	65	63
Male	53	53	"Binge" Alcohol <sup>3</sup>	21	24	53	49
Female	50	51	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	33	33	68	63
Not Hispanic			Marijuana	29	28	60	55
White Only	51	50	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	29	54	51
Black Only	37	39	Cigarettes	30	32	77	69
American Indian or Alaska Native Only	6	*	Alcohol	31	34	89	82
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	16	17	<b>LIFETIME</b>				
More Than One Race	8	7	Any Illicit Drug <sup>2</sup>	34	35	77	74
Hispanic	33	31	Marijuana	31	31	66	63
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	32	66	65
Large Metro	65	57	Cigarettes	35	36	85	85
Small Metro	35	41	Alcohol	34	34	90	88
Nonmetro	27	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.23D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Street Fights in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Street Fights in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.35	0.34	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.79	0.73	0.24	0.25
12-13	0.53	0.54	Marijuana	0.68	0.70	0.21	0.21
14-15	0.53	0.52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.57	0.56	0.17	0.17
16-17	0.51	0.57	Cigarettes	0.78	0.87	0.33	0.29
<b>GENDER</b>			Alcohol	0.80	0.83	0.33	0.32
Male	0.45	0.45	"Binge" Alcohol <sup>3</sup>	0.64	0.71	0.27	0.25
Female	0.45	0.45	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.03	0.97	0.35	0.32
Not Hispanic			Marijuana	0.89	0.83	0.30	0.28
White Only	0.33	0.33	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.78	0.84	0.27	0.26
Black Only	1.17	1.19	Cigarettes	0.93	0.94	0.39	0.35
American Indian or Alaska Native Only	4.76	*	Alcohol	0.96	1.00	0.45	0.42
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.83	2.12	<b>LIFETIME</b>				
More Than One Race	2.35	1.99	Any Illicit Drug <sup>2</sup>	1.07	1.03	0.39	0.38
Hispanic	1.04	0.94	Marijuana	0.95	0.91	0.34	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.90	0.95	0.34	0.33
Large Metro	0.57	0.51	Cigarettes	1.08	1.04	0.43	0.43
Small Metro	0.51	0.58	Alcohol	1.07	0.99	0.46	0.45
Nonmetro	0.58	0.65	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.23P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are a Lot of Street Fights in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are a Lot of Street Fights in Neighborhood: 2000 Versus 1999**

(I) Demographic Characteristic	A Lot of Street Fights in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Street Fights in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.1199		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8248		0.8476	
12-13	0.8889		Marijuana	0.8839		0.9524	
14-15	0.4564		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7400		0.8493	
16-17	0.0409		Cigarettes	0.5062		0.0002	
<b>GENDER</b>			Alcohol	0.9384		0.5557	
Male	0.4850		"Binge" Alcohol <sup>3</sup>	0.5098		0.4995	
Female	0.0952		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.3851		0.0158	
Not Hispanic			Marijuana	0.4001		0.0694	
White Only	0.2815		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4885		0.1191	
Black Only	0.3764		Cigarettes	0.0470		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.6029		0.0425	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.7624		<b>LIFETIME</b>				
More Than One Race	0.5143		Any Illicit Drug <sup>2</sup>	0.7554		0.1161	
Hispanic	0.7662		Marijuana	0.9002		0.3170	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3715		0.2538	
Large Metro	0.5421		Cigarettes	0.0185		0.0001	
Small Metro	0.0312		Alcohol	0.2963		0.0606	
Nonmetro	0.6207		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.24C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>		(II) Drug Use	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	69	64	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	21	20	48	50
12-13	33	33	Marijuana	18	18	42	45
14-15	35	34	Any Illicit Drug Other Than Marijuana <sup>2</sup>	14	14	35	34
16-17	36	34	Cigarettes	23	24	66	58
<b>GENDER</b>			Alcohol	23	24	65	63
Male	46	42	"Binge" Alcohol <sup>3</sup>	20	21	53	50
Female	43	41	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	27	25	68	66
Not Hispanic			Marijuana	25	23	60	57
White Only	43	45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	21	21	55	54
Black Only	35	33	Cigarettes	26	27	78	70
American Indian or Alaska Native Only	5	5	Alcohol	30	29	90	84
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	10	10	<b>LIFETIME</b>				
More Than One Race	9	8	Any Illicit Drug <sup>2</sup>	28	29	78	79
Hispanic	24	25	Marijuana	27	26	68	66
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	25	68	67
Large Metro	52	44	Cigarettes	30	28	87	87
Small Metro	33	33	Alcohol	32	30	91	88
Nonmetro	29	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.24D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>		(II) Drug Use	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.30	0.27	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.81	0.77	0.24	0.25
12-13	0.45	0.43	Marijuana	0.71	0.69	0.21	0.22
14-15	0.46	0.42	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.57	0.55	0.17	0.17
16-17	0.47	0.45	Cigarettes	0.90	0.90	0.32	0.28
<b>GENDER</b>			Alcohol	0.92	0.91	0.32	0.31
Male	0.40	0.36	"Binge" Alcohol <sup>3</sup>	0.79	0.80	0.26	0.25
Female	0.39	0.36	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.08	0.97	0.34	0.32
Not Hispanic			Marijuana	0.97	0.86	0.30	0.28
White Only	0.28	0.30	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.83	0.80	0.27	0.26
Black Only	1.11	1.01	Cigarettes	1.04	1.04	0.38	0.34
American Indian or Alaska Native Only	3.77	3.37	Alcohol	1.17	1.11	0.44	0.41
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.16	1.21	<b>LIFETIME</b>				
More Than One Race	2.54	2.30	Any Illicit Drug <sup>2</sup>	1.12	1.11	0.38	0.38
Hispanic	0.78	0.75	Marijuana	1.06	0.98	0.34	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.00	0.97	0.33	0.33
Large Metro	0.45	0.39	Cigarettes	1.17	1.08	0.43	0.43
Small Metro	0.48	0.47	Alcohol	1.24	1.12	0.45	0.43
Nonmetro	0.64	0.66	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.24P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Are Many Empty or Abandoned Buildings in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Are Many Empty or Abandoned Buildings in Neighborhood: 2000 Versus 1999**

(I) Demographic Characteristic	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>		(II) Drug Use	Many Empty/Abandoned Buildings in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.4601		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.3057	0.8820		
12-13	0.2709		Marijuana	0.6648	0.9061		
14-15	0.6144		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5666	0.5482		
16-17	0.4199		Cigarettes	0.3829	0.0004		
<b>GENDER</b>			Alcohol	0.6597	0.4794		
Male	0.8134		"Binge" Alcohol <sup>3</sup>	0.4190	0.4817		
Female	0.3598		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0315	0.0487		
Not Hispanic			Marijuana	0.0410	0.1977		
White Only	0.0184		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4522	0.3613		
Black Only	0.3099		Cigarettes	0.1076	0.0000		
American Indian or Alaska Native Only	0.2727		Alcohol	0.8024	0.0402		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.6085		<b>LIFETIME</b>				
More Than One Race	0.3443		Any Illicit Drug <sup>2</sup>	0.7278	0.1255		
Hispanic	0.3810		Marijuana	0.3941	0.5119		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9925	0.4876		
Large Metro	0.8856		Cigarettes	0.0363	0.0000		
Small Metro	0.5236		Alcohol	0.1046	0.0922		
Nonmetro	0.5858		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.25C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 1999 and 2000**

(I) Demographic Characteristic	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	87	85	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	43	46	30	27
12-13	46	44	Marijuana	38	40	26	25
14-15	46	47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	31	31	20	20
16-17	48	47	Cigarettes	57	51	38	33
<b>GENDER</b>			Alcohol	58	57	36	35
Male	62	58	"Binge" Alcohol <sup>3</sup>	46	46	30	30
Female	56	56	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	61	61	41	36
Not Hispanic			Marijuana	54	52	36	32
White Only	65	61	Any Illicit Drug Other Than Marijuana <sup>2</sup>	49	48	32	31
Black Only	32	34	Cigarettes	70	62	43	41
American Indian or Alaska Native Only	*	5	Alcohol	78	75	48	45
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	19	19	<b>LIFETIME</b>				
More Than One Race	11	9	Any Illicit Drug <sup>2</sup>	69	72	46	40
Hispanic	37	33	Marijuana	60	61	42	36
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	60	60	39	36
Large Metro	64	61	Cigarettes	79	76	49	46
Small Metro	48	47	Alcohol	81	79	49	48
Nonmetro	31	33	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.25D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 1999 and 2000**

(I) Demographic Characteristic	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.38	0.37	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.26	0.27	0.48	0.46
12-13	0.62	0.58	Marijuana	0.23	0.23	0.43	0.42
14-15	0.61	0.59	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.19	0.18	0.32	0.33
16-17	0.64	0.64	Cigarettes	0.35	0.30	0.62	0.55
<b>GENDER</b>			Alcohol	0.35	0.34	0.60	0.58
Male	0.54	0.50	"Binge" Alcohol <sup>3</sup>	0.28	0.27	0.49	0.50
Female	0.51	0.50	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.37	0.36	0.67	0.60
Not Hispanic			Marijuana	0.33	0.31	0.59	0.53
White Only	0.44	0.40	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.30	0.28	0.52	0.52
Black Only	1.02	1.05	Cigarettes	0.42	0.37	0.70	0.68
American Indian or Alaska Native Only	*	3.84	Alcohol	0.47	0.44	0.79	0.74
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.21	2.33	<b>LIFETIME</b>				
More Than One Race	3.06	2.49	Any Illicit Drug <sup>2</sup>	0.42	0.42	0.76	0.67
Hispanic	1.18	1.01	Marijuana	0.37	0.36	0.68	0.61
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.36	0.36	0.64	0.60
Large Metro	0.57	0.55	Cigarettes	0.48	0.45	0.80	0.76
Small Metro	0.71	0.66	Alcohol	0.49	0.47	0.80	0.81
Nonmetro	0.68	0.70	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.25P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People in Their Neighborhood Often Visit in Each Other's Homes, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People in Their Neighborhood Often Visit in Each Other's Homes: 2000 Versus 1999**

(I) Demographic Characteristic	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>		(II) Drug Use	People in Neighborhood Often Visit in Each Other's Homes <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0962		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.4514			0.3985
12-13	0.1241		Marijuana	0.7026			0.5498
14-15	0.0052		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8867			0.3288
16-17	0.1672		Cigarettes	0.0004			0.2510
<b>GENDER</b>			Alcohol	0.3873			0.3867
Male	0.4951		"Binge" Alcohol <sup>3</sup>	0.9396			0.0302
Female	0.0740		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0100			0.5826
Not Hispanic			Marijuana	0.1192			0.3211
White Only	0.2283		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1091			0.6854
Black Only	0.3585		Cigarettes	0.0000			0.0785
American Indian or Alaska Native Only	*		Alcohol	0.0108			0.8054
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.3387		<b>LIFETIME</b>				
More Than One Race	0.0606		Any Illicit Drug <sup>2</sup>	0.1183			0.9942
Hispanic	0.2996		Marijuana	0.3176			0.8668
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2986			0.5876
Large Metro	0.1597		Cigarettes	0.0000			0.0701
Small Metro	0.8196		Alcohol	0.0251			0.9223
Nonmetro	0.1780		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.26C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Graffiti in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Graffiti in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	79	75	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	25	25	46	51
12-13	43	39	Marijuana	22	21	42	44
14-15	40	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17	19	34	34
16-17	39	40	Cigarettes	27	26	65	59
<b>GENDER</b>			Alcohol	30	28	63	64
Male	54	53	"Binge" Alcohol <sup>3</sup>	22	25	52	51
Female	51	50	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	33	34	67	65
Not Hispanic			Marijuana	30	27	59	57
White Only	49	49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	29	54	53
Black Only	34	35	Cigarettes	31	31	77	72
American Indian or Alaska Native Only	6	*	Alcohol	37	34	86	84
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	15	13	<b>LIFETIME</b>				
More Than One Race	9	9	Any Illicit Drug <sup>2</sup>	34	37	77	76
Hispanic	34	36	Marijuana	31	31	66	65
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	31	34	66	67
Large Metro	67	61	Cigarettes	35	34	86	87
Small Metro	36	38	Alcohol	37	36	90	89
Nonmetro	25	26	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.26D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 1999 and 2000**

(I) Demographic Characteristic	A Lot of Graffiti in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Graffiti in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.35	0.32	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.71	0.69	0.24	0.26
12-13	0.57	0.51	Marijuana	0.62	0.58	0.22	0.23
14-15	0.51	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.48	0.52	0.17	0.17
16-17	0.51	0.53	Cigarettes	0.78	0.71	0.33	0.30
<b>GENDER</b>			Alcohol	0.84	0.75	0.33	0.33
Male	0.46	0.45	"Binge" Alcohol <sup>3</sup>	0.63	0.67	0.27	0.26
Female	0.45	0.44	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.95	0.92	0.35	0.34
Not Hispanic			Marijuana	0.84	0.73	0.30	0.29
White Only	0.32	0.32	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.71	0.78	0.28	0.27
Black Only	1.08	1.07	Cigarettes	0.89	0.83	0.39	0.37
American Indian or Alaska Native Only	4.65	*	Alcohol	1.04	0.94	0.44	0.43
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.74	1.64	<b>LIFETIME</b>				
More Than One Race	2.41	2.59	Any Illicit Drug <sup>2</sup>	0.97	1.02	0.40	0.39
Hispanic	1.06	1.11	Marijuana	0.89	0.84	0.34	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.89	0.91	0.34	0.34
Large Metro	0.58	0.54	Cigarettes	1.00	0.94	0.44	0.45
Small Metro	0.52	0.53	Alcohol	1.05	0.98	0.46	0.46
Nonmetro	0.55	0.55	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.26P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That There Is a Lot of Graffiti in Their Neighborhood, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That There Is a Lot of Graffiti in Neighborhood: 2000 Versus 1999**

(I) Demographic Characteristic	A Lot of Graffiti in Neighborhood <sup>1</sup>		(II) Drug Use	A Lot of Graffiti in Neighborhood <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.2302		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1484		0.5941	
12-13	0.2645		Marijuana	0.1102		0.3971	
14-15	0.8752		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9524		0.7244	
16-17	0.2662		Cigarettes	0.0215		0.0048	
<b>GENDER</b>			Alcohol	0.3971		0.9169	
Male	0.6648		"Binge" Alcohol <sup>3</sup>	0.3286		0.1178	
Female	0.1844		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1844		0.0424	
Not Hispanic			Marijuana	0.0659		0.2509	
White Only	0.0326		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7925		0.2863	
Black Only	0.4222		Cigarettes	0.0149		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.8383		0.0402	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.4910		<b>LIFETIME</b>				
More Than One Race	0.9619		Any Illicit Drug <sup>2</sup>	0.6918		0.1581	
Hispanic	0.9045		Marijuana	0.3530		0.5987	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9248		0.4678	
Large Metro	0.1989		Cigarettes	0.1450		0.0000	
Small Metro	0.4932		Alcohol	0.2285		0.0907	
Nonmetro	0.9119		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.27C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 1999 and 2000**

(I) Demographic Characteristic	People Move In and Out of Neighborhood Often <sup>1</sup>		(II) Drug Use	People Move In and Out of Neighborhood Often <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	99	95	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	31	32	45	45
12-13	48	51	Marijuana	27	28	39	40
14-15	52	47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	22	23	31	32
16-17	53	51	Cigarettes	37	34	59	53
<b>GENDER</b>			Alcohol	37	36	57	57
Male	67	68	"Binge" Alcohol <sup>3</sup>	30	30	47	47
Female	61	60	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	40	43	64	59
Not Hispanic			Marijuana	36	35	56	53
White Only	76	73	Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	35	49	49
Black Only	38	42	Cigarettes	43	43	71	65
American Indian or Alaska Native Only	5	*	Alcohol	49	47	78	75
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	21	<b>LIFETIME</b>				
More Than One Race	11	15	Any Illicit Drug <sup>2</sup>	45	49	71	71
Hispanic	32	32	Marijuana	40	40	61	62
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	40	44	60	59
Large Metro	72	73	Cigarettes	48	50	78	78
Small Metro	56	47	Alcohol	53	49	79	80
Nonmetro	34	35	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.27D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 1999 and 2000**

(I) Demographic Characteristic	People Move In and Out of Neighborhood Often <sup>1</sup>		(II) Drug Use	People Move In and Out of Neighborhood Often <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.44	0.41	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.46	0.47	0.29	0.28
12-13	0.65	0.67	Marijuana	0.39	0.41	0.25	0.25
14-15	0.68	0.60	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.33	0.20	0.20
16-17	0.69	0.69	Cigarettes	0.54	0.48	0.38	0.33
<b>GENDER</b>			Alcohol	0.54	0.52	0.36	0.36
Male	0.58	0.58	"Binge" Alcohol <sup>3</sup>	0.44	0.43	0.30	0.29
Female	0.55	0.54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.59	0.62	0.41	0.37
Not Hispanic			Marijuana	0.53	0.51	0.35	0.33
White Only	0.50	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.48	0.51	0.31	0.31
Black Only	1.22	1.28	Cigarettes	0.62	0.62	0.45	0.41
American Indian or Alaska Native Only	3.92	*	Alcohol	0.71	0.68	0.50	0.47
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.35	2.62	<b>LIFETIME</b>				
More Than One Race	3.11	4.22	Any Illicit Drug <sup>2</sup>	0.65	0.71	0.45	0.44
Hispanic	1.04	0.98	Marijuana	0.58	0.58	0.39	0.39
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.58	0.63	0.38	0.37
Large Metro	0.64	0.66	Cigarettes	0.70	0.72	0.50	0.49
Small Metro	0.82	0.66	Alcohol	0.77	0.71	0.50	0.50
Nonmetro	0.76	0.73	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.27P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Agree That People Move In and Out of Their Neighborhood Often, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Agree or Disagree That People Move In and Out of Their Neighborhood Often: 2000 Versus 1999**

(I) Demographic Characteristic	People Move In and Out of Neighborhood Often <sup>1</sup>		(II) Drug Use	People Move In and Out of Neighborhood Often <sup>1</sup>			
	Strongly/Somewhat Agree			Strongly/Somewhat Agree		Strongly/Somewhat Disagree	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.7320		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9598		0.9515	
12-13	0.8960		Marijuana	0.9391		0.8385	
14-15	0.4644		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7310		0.9290	
16-17	0.9268		Cigarettes	0.0086		0.0151	
<b>GENDER</b>			Alcohol	0.4117		0.3651	
Male	0.7626		"Binge" Alcohol <sup>3</sup>	0.2315		0.7128	
Female	0.4044		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1357		0.0971	
Not Hispanic			Marijuana	0.2656		0.2453	
White Only	0.5892		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5607		0.4457	
Black Only	0.4179		Cigarettes	0.0151		0.0000	
American Indian or Alaska Native Only	*		Alcohol	0.7099		0.0431	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.6904		<b>LIFETIME</b>				
More Than One Race	0.3628		Any Illicit Drug <sup>2</sup>	0.5555		0.2661	
Hispanic	0.9162		Marijuana	0.6439		0.6207	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9165		0.5937	
Large Metro	0.7314		Cigarettes	0.1031		0.0001	
Small Metro	0.3706		Alcohol	0.5959		0.0081	
Nonmetro	0.8162		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.28C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	67	66	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	45	44	28	29
12-13	27	26	Marijuana	37	38	26	26
14-15	35	33	Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	31	19	21
16-17	43	42	Cigarettes	58	48	34	30
<b>GENDER</b>			Alcohol	60	58	32	29
Male	50	45	"Binge" Alcohol <sup>3</sup>	47	45	29	28
Female	39	42	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	65	61	34	33
Not Hispanic			Marijuana	54	50	33	31
White Only	51	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	51	47	28	30
Black Only	26	25	Cigarettes	73	64	34	31
American Indian or Alaska Native Only	5	5	Alcohol	86	80	34	32
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	12	<b>LIFETIME</b>				
More Than One Race	8	8	Any Illicit Drug <sup>2</sup>	73	73	35	32
Hispanic	24	24	Marijuana	62	60	35	32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	63	59	31	33
Large Metro	47	49	Cigarettes	82	82	34	29
Small Metro	36	35	Alcohol	90	87	32	30
Nonmetro	26	28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.28D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.29	0.29	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.23	0.22	0.97	1.02
12-13	0.36	0.34	Marijuana	0.19	0.19	0.92	0.94
14-15	0.45	0.41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.15	0.68	0.76
16-17	0.56	0.56	Cigarettes	0.29	0.24	1.19	1.07
<b>GENDER</b>			Alcohol	0.30	0.29	1.10	1.03
Male	0.43	0.38	"Binge" Alcohol <sup>3</sup>	0.23	0.22	1.00	0.98
Female	0.35	0.37	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.32	0.30	1.19	1.15
Not Hispanic			Marijuana	0.27	0.25	1.14	1.09
White Only	0.33	0.34	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.25	0.23	0.98	1.06
Black Only	0.84	0.75	Cigarettes	0.36	0.32	1.18	1.08
American Indian or Alaska Native Only	3.91	3.77	Alcohol	0.43	0.39	1.18	1.12
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.53	1.46	<b>LIFETIME</b>				
More Than One Race	2.13	2.27	Any Illicit Drug <sup>2</sup>	0.37	0.36	1.21	1.15
Hispanic	0.75	0.73	Marijuana	0.31	0.29	1.21	1.12
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.29	1.09	1.17
Large Metro	0.42	0.43	Cigarettes	0.41	0.40	1.17	1.05
Small Metro	0.52	0.49	Alcohol	0.45	0.43	1.12	1.06
Nonmetro	0.57	0.60	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.28P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Smoking One or More Packs of Cigarettes per Day: 2000 Versus 1999**

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.3323		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.7002	0.3719		
12-13	0.4892		Marijuana	0.7550	0.3653		
14-15	0.8903		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8909	0.3180		
16-17	0.4598		Cigarettes	0.0000	0.1389		
<b>GENDER</b>			Alcohol	0.2132	0.0790		
Male	0.2417		"Binge" Alcohol <sup>3</sup>	0.7530	0.0487		
Female	0.8193		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0152	0.9258		
Not Hispanic			Marijuana	0.0699	0.6819		
White Only	0.7885		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1700	0.3162		
Black Only	0.0149		Cigarettes	0.0000	0.2832		
American Indian or Alaska Native Only	0.7513		Alcohol	0.0145	0.1957		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.2458		<b>LIFETIME</b>				
More Than One Race	0.7412		Any Illicit Drug <sup>2</sup>	0.0627	0.1071		
Hispanic	0.9651		Marijuana	0.1527	0.2025		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4221	0.1749		
Large Metro	0.1555		Cigarettes	0.0000	0.3418		
Small Metro	0.5654		Alcohol	0.0106	0.1017		
Nonmetro	0.4440		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.29C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	57	58	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	46	44	26	27
12-13	24	26	Marijuana	39	37	25	26
14-15	30	32	Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	31	18	22
16-17	35	38	Cigarettes	64	54	27	28
<b>GENDER</b>			Alcohol	63	60	26	28
Male	41	40	"Binge" Alcohol <sup>3</sup>	50	47	24	26
Female	34	39	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	67	62	29	30
Not Hispanic			Marijuana	57	51	28	28
White Only	43	46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	51	50	25	29
Black Only	24	22	Cigarettes	76	71	29	29
American Indian or Alaska Native Only	5	7	Alcohol	88	80	27	29
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	11	9	<b>LIFETIME</b>				
More Than One Race	6	9	Any Illicit Drug <sup>2</sup>	76	75	28	30
Hispanic	19	21	Marijuana	65	61	28	29
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	66	63	28	30
Large Metro	41	43	Cigarettes	86	87	28	29
Small Metro	32	31	Alcohol	92	86	26	27
Nonmetro	22	25	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.29D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.25	0.25	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.22	0.21	1.21	1.13
12-13	0.32	0.34	Marijuana	0.19	0.18	1.16	1.07
14-15	0.39	0.40	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.15	0.84	0.90
16-17	0.46	0.51	Cigarettes	0.31	0.26	1.29	1.15
<b>GENDER</b>			Alcohol	0.30	0.29	1.22	1.16
Male	0.35	0.34	"Binge" Alcohol <sup>3</sup>	0.24	0.23	1.14	1.06
Female	0.31	0.35	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.32	0.30	1.36	1.22
Not Hispanic			Marijuana	0.27	0.25	1.30	1.16
White Only	0.28	0.30	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.25	0.24	1.18	1.18
Black Only	0.76	0.66	Cigarettes	0.37	0.34	1.37	1.21
American Indian or Alaska Native Only	4.01	4.89	Alcohol	0.42	0.39	1.30	1.18
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.21	1.14	<b>LIFETIME</b>				
More Than One Race	1.65	2.39	Any Illicit Drug <sup>2</sup>	0.37	0.36	1.34	1.22
Hispanic	0.62	0.63	Marijuana	0.31	0.30	1.32	1.20
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.30	1.30	1.25
Large Metro	0.36	0.38	Cigarettes	0.41	0.42	1.32	1.20
Small Metro	0.46	0.44	Alcohol	0.44	0.41	1.21	1.12
Nonmetro	0.49	0.52	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.29P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Trying Marijuana or Hashish Once or Twice: 2000 Versus 1999**

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0006		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1746	0.5163		
12-13	0.9767		Marijuana	0.0789	0.3556		
14-15	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6935	0.2737		
16-17	0.0290		Cigarettes	0.0000	0.8711		
<b>GENDER</b>			Alcohol	0.0778	0.2898		
Male	0.0346		"Binge" Alcohol <sup>3</sup>	0.7277	0.1884		
Female	0.0019		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0004	0.8809		
Not Hispanic			Marijuana	0.0003	0.6468		
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0942	0.9498		
Black Only	0.0232		Cigarettes	0.0000	0.2729		
American Indian or Alaska Native Only	0.6489		Alcohol	0.0005	0.0371		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.3640		<b>LIFETIME</b>				
More Than One Race	0.2222		Any Illicit Drug <sup>2</sup>	0.0158	0.6103		
Hispanic	0.7203		Marijuana	0.0058	0.1026		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4124	0.6622		
Large Metro	0.0341		Cigarettes	0.0000	0.7932		
Small Metro	0.0257		Alcohol	0.0003	0.0068		
Nonmetro	0.0705		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.30C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	59	65	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	47	46	25	28
12-13	28	28	Marijuana	40	42	23	26
14-15	34	33	Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	31	18	20
16-17	38	42	Cigarettes	65	54	27	29
<b>GENDER</b>			Alcohol	61	58	30	29
Male	44	47	"Binge" Alcohol <sup>3</sup>	48	46	28	27
Female	36	39	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	68	63	30	31
Not Hispanic			Marijuana	59	54	28	29
White Only	44	50	Any Illicit Drug Other Than Marijuana <sup>2</sup>	54	49	25	28
Black Only	23	25	Cigarettes	77	69	30	31
American Indian or Alaska Native Only	4	4	Alcohol	86	80	31	31
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	11	11	<b>LIFETIME</b>				
More Than One Race	8	8	Any Illicit Drug <sup>2</sup>	76	73	31	31
Hispanic	25	24	Marijuana	65	63	31	31
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	66	60	28	31
Large Metro	43	45	Cigarettes	86	86	30	30
Small Metro	31	35	Alcohol	91	85	29	28
Nonmetro	24	28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.30D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 1999 and 2000**

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.26	0.28	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.23	0.22	1.02	0.99
12-13	0.38	0.36	Marijuana	0.20	0.20	0.95	0.91
14-15	0.43	0.41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.16	0.15	0.75	0.72
16-17	0.49	0.55	Cigarettes	0.32	0.27	1.13	1.04
<b>GENDER</b>			Alcohol	0.30	0.28	1.23	1.02
Male	0.38	0.40	"Binge" Alcohol <sup>3</sup>	0.24	0.22	1.14	0.97
Female	0.32	0.34	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.33	0.31	1.25	1.12
Not Hispanic			Marijuana	0.29	0.27	1.18	1.05
White Only	0.29	0.33	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.26	0.24	1.04	1.01
Black Only	0.75	0.76	Cigarettes	0.38	0.34	1.26	1.12
American Indian or Alaska Native Only	3.21	2.91	Alcohol	0.42	0.39	1.27	1.09
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.26	1.29	<b>LIFETIME</b>				
More Than One Race	2.15	2.34	Any Illicit Drug <sup>2</sup>	0.37	0.36	1.27	1.10
Hispanic	0.78	0.72	Marijuana	0.32	0.31	1.27	1.11
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.29	1.17	1.09
Large Metro	0.38	0.40	Cigarettes	0.42	0.42	1.25	1.06
Small Metro	0.45	0.50	Alcohol	0.44	0.42	1.22	0.98
Nonmetro	0.52	0.58	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.30P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Think Their Parents Would Strongly Disapprove of Their Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Parents' Feelings About Youth Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day: 2000 Versus 1999**

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly Disapprove			Strongly Disapprove		Somewhat Disapprove/Neither	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.0894		0.1644	
12-13	0.6984		Marijuana	0.1859		0.4088	
14-15	0.0009		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3689		0.0967	
16-17	0.0003		Cigarettes	0.0000		0.7873	
<b>GENDER</b>			Alcohol	0.0260		0.2591	
Male	0.0018		"Binge" Alcohol <sup>3</sup>	0.6174		0.3432	
Female	0.0033		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0002		0.6164	
Not Hispanic			Marijuana	0.0015		0.9092	
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0133		0.1462	
Black Only	0.8632		Cigarettes	0.0000		0.8369	
American Indian or Alaska Native Only	0.9798		Alcohol	0.0006		0.3429	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.4024		<b>LIFETIME</b>				
More Than One Race	0.8675		Any Illicit Drug <sup>2</sup>	0.0024		0.0644	
Hispanic	0.5446		Marijuana	0.0098		0.1685	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0182		0.0090	
Large Metro	0.1976		Cigarettes	0.0000		0.6474	
Small Metro	0.0007		Alcohol	0.0003		0.1463	
Nonmetro	0.0014		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.31C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 1999 and 2000**

(I) Demographic Characteristic	Gotten into Serious Fight at School/Work <sup>1</sup>		(II) Drug Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	76	73	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	33	29	43	46
12-13	43	45	Marijuana	30	25	36	41
14-15	45	41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	22	29	31
16-17	42	34	Cigarettes	37	32	58	54
<b>GENDER</b>			Alcohol	38	32	59	57
Male	59	56	"Binge" Alcohol <sup>3</sup>	34	29	46	45
Female	46	42	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	39	36	60	60
Not Hispanic			Marijuana	37	31	52	52
White Only	58	54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	33	32	46	48
Black Only	31	36	Cigarettes	43	37	68	64
American Indian or Alaska Native Only	5	7	Alcohol	44	39	82	79
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	14	<b>LIFETIME</b>				
More Than One Race	12	9	Any Illicit Drug <sup>2</sup>	40	38	69	73
Hispanic	29	29	Marijuana	41	35	59	61
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	38	36	58	61
Large Metro	57	52	Cigarettes	44	40	80	81
Small Metro	41	41	Alcohol	43	39	84	84
Nonmetro	29	28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

**Table 3.31D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 1999 and 2000**

(I) Demographic Characteristic	Gotten into Serious Fight at School/Work <sup>1</sup>		(II) Drug Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.33	0.31	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.65	0.69	0.24	0.24
12-13	0.57	0.58	Marijuana	0.60	0.61	0.20	0.22
14-15	0.58	0.51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.48	0.52	0.16	0.16
16-17	0.55	0.45	Cigarettes	0.74	0.76	0.32	0.28
<b>GENDER</b>			Alcohol	0.76	0.76	0.33	0.30
Male	0.50	0.47	"Binge" Alcohol <sup>3</sup>	0.67	0.69	0.26	0.23
Female	0.41	0.37	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.77	0.85	0.33	0.31
Not Hispanic			Marijuana	0.74	0.74	0.29	0.27
White Only	0.38	0.36	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.66	0.77	0.26	0.25
Black Only	0.97	1.07	Cigarettes	0.86	0.90	0.38	0.33
American Indian or Alaska Native Only	3.55	4.54	Alcohol	0.88	0.94	0.46	0.41
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.55	1.74	<b>LIFETIME</b>				
More Than One Race	3.17	2.39	Any Illicit Drug <sup>2</sup>	0.80	0.91	0.38	0.38
Hispanic	0.91	0.86	Marijuana	0.81	0.85	0.33	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.76	0.87	0.32	0.32
Large Metro	0.49	0.46	Cigarettes	0.87	0.97	0.44	0.43
Small Metro	0.59	0.57	Alcohol	0.85	0.94	0.47	0.44
Nonmetro	0.64	0.58	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.31P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Gotten into a Serious Fight at School or Work One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times Gotten into Serious Fight at School or Work: 2000 Versus 1999**

(I) Demographic Characteristic	Gotten into Serious Fight at School/Work <sup>1</sup>		(II) Drug Use	Gotten into Serious Fight at School/Work <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.3181		0.0369	
12-13	0.6762		Marijuana	0.0864		0.0095	
14-15	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5725		0.1813	
16-17	0.0000		Cigarettes	0.0002		0.7873	
<b>GENDER</b>			Alcohol	0.0090		0.0316	
Male	0.0000		"Binge" Alcohol <sup>3</sup>	0.5140		0.0030	
Female	0.0000		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0142		0.5946	
Not Hispanic			Marijuana	0.0053		0.2226	
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7212		0.4414	
Black Only	0.8949		Cigarettes	0.0000		0.0727	
American Indian or Alaska Native Only	0.7924		Alcohol	0.0000		0.2527	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.4656		<b>LIFETIME</b>				
More Than One Race	0.0035		Any Illicit Drug <sup>2</sup>	0.0881		0.1510	
Hispanic	0.0009		Marijuana	0.0297		0.0297	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7967		0.2199	
Large Metro	0.0000		Cigarettes	0.0000		0.5035	
Small Metro	0.0000		Alcohol	0.0010		0.4767	
Nonmetro	0.0000		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.32C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 1999 and 2000**

(I) Demographic Characteristic	Taken Part in Group-Against-Group Fight <sup>1</sup>		(II) Drug Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	68	68	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	30	28	44	47
12-13	41	40	Marijuana	27	26	37	42
14-15	39	38	Any Illicit Drug Other Than Marijuana <sup>2</sup>	21	22	31	30
16-17	39	37	Cigarettes	33	31	59	53
<b>GENDER</b>			Alcohol	35	32	59	59
Male	52	53	"Binge" Alcohol <sup>3</sup>	32	29	45	43
Female	47	41	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	34	33	64	63
Not Hispanic			Marijuana	34	30	55	55
White Only	53	47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	30	31	50	48
Black Only	27	32	Cigarettes	38	35	70	65
American Indian or Alaska Native Only	5	5	Alcohol	39	36	85	79
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	16	<b>LIFETIME</b>				
More Than One Race	10	11	Any Illicit Drug <sup>2</sup>	36	35	71	75
Hispanic	27	28	Marijuana	36	32	62	64
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	35	34	60	62
Large Metro	49	52	Cigarettes	37	35	82	82
Small Metro	41	34	Alcohol	37	35	88	84
Nonmetro	25	26	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.32D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 1999 and 2000**

(I) Demographic Characteristic	Taken Part in Group-Against-Group Fight <sup>1</sup>		(II) Drug Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.30	0.29	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.75	0.79	0.23	0.24
12-13	0.54	0.52	Marijuana	0.68	0.73	0.20	0.21
14-15	0.50	0.48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.54	0.63	0.16	0.15
16-17	0.51	0.49	Cigarettes	0.84	0.87	0.31	0.27
<b>GENDER</b>			Alcohol	0.90	0.90	0.31	0.30
Male	0.44	0.44	"Binge" Alcohol <sup>3</sup>	0.81	0.83	0.24	0.22
Female	0.41	0.36	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.87	0.95	0.33	0.32
Not Hispanic			Marijuana	0.85	0.85	0.29	0.28
White Only	0.35	0.31	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.77	0.89	0.26	0.24
Black Only	0.86	0.96	Cigarettes	0.96	1.00	0.37	0.33
American Indian or Alaska Native Only	4.06	3.64	Alcohol	0.99	1.01	0.44	0.40
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.57	1.87	<b>LIFETIME</b>				
More Than One Race	2.68	3.09	Any Illicit Drug <sup>2</sup>	0.90	0.99	0.37	0.38
Hispanic	0.85	0.86	Marijuana	0.92	0.92	0.32	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.88	0.97	0.31	0.31
Large Metro	0.43	0.46	Cigarettes	0.95	1.00	0.43	0.41
Small Metro	0.59	0.48	Alcohol	0.95	0.99	0.46	0.42
Nonmetro	0.54	0.55	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.32P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Taken Part in a Group-Against-Group Fight One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Got in a Group-Against-Group Fight: 2000 Versus 1999**

(I) Demographic Characteristic	Taken Part in Group-Against-Group Fight <sup>1</sup>		(II) Drug Use	Taken Part in Group-Against-Group Fight <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.4871		0.1749	
12-13	0.1323		Marijuana	0.3392		0.1073	
14-15	0.0037		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2204		0.6630	
16-17	0.0000		Cigarettes	0.0101		0.1081	
<b>GENDER</b>			Alcohol	0.0488		0.1488	
Male	0.0002		"Binge" Alcohol <sup>3</sup>	0.8029		0.0135	
Female	0.0018		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1147		0.5465	
Not Hispanic			Marijuana	0.0379		0.8608	
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8652		0.9142	
Black Only	0.4995		Cigarettes	0.0074		0.0005	
American Indian or Alaska Native Only	0.9699		Alcohol	0.0097		0.8907	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.6656		<b>LIFETIME</b>				
More Than One Race	0.2520		Any Illicit Drug <sup>2</sup>	0.4599		0.8727	
Hispanic	0.2504		Marijuana	0.1746		0.3400	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3571		0.8548	
Large Metro	0.0277		Cigarettes	0.0001		0.0343	
Small Metro	0.0001		Alcohol	0.1007		0.5140	
Nonmetro	0.0113		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.33C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 1999 and 2000**

(I) Demographic Characteristic	Carried a Handgun <sup>1</sup>		(II) Drug Use	Carried a Handgun <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	34	32	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	15	14	50	54
12-13	17	13	Marijuana	14	14	44	46
14-15	20	20	Any Illicit Drug Other Than Marijuana <sup>2</sup>	11	12	36	37
16-17	22	21	Cigarettes	17	16	68	63
<b>GENDER</b>			Alcohol	16	15	67	66
Male	31	29	"Binge" Alcohol <sup>3</sup>	16	15	55	51
Female	12	12	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	17	15	72	70
Not Hispanic			Marijuana	16	15	63	59
White Only	26	24	Any Illicit Drug Other Than Marijuana <sup>2</sup>	15	15	56	57
Black Only	14	13	Cigarettes	17	16	81	76
American Indian or Alaska Native Only	1	2	Alcohol	17	16	93	88
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	7	4	<b>LIFETIME</b>				
More Than One Race	5	4	Any Illicit Drug <sup>2</sup>	17	16	82	83
Hispanic	12	13	Marijuana	17	16	71	69
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	15	70	71
Large Metro	24	22	Cigarettes	16	16	90	93
Small Metro	19	16	Alcohol	16	16	95	94
Nonmetro	14	13	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.33D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 1999 and 2000**

(I) Demographic Characteristic	Carried a Handgun <sup>1</sup>		(II) Drug Use	Carried a Handgun <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.15	0.14	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1.81	2.12	0.23	0.24
12-13	0.23	0.17	Marijuana	1.69	2.02	0.20	0.21
14-15	0.26	0.24	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.31	1.84	0.16	0.16
16-17	0.28	0.28	Cigarettes	2.03	2.32	0.31	0.28
<b>GENDER</b>			Alcohol	1.92	2.25	0.30	0.29
Male	0.27	0.24	"Binge" Alcohol <sup>3</sup>	1.87	2.18	0.25	0.23
Female	0.10	0.10	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	2.02	2.27	0.32	0.31
Not Hispanic			Marijuana	1.95	2.25	0.28	0.26
White Only	0.17	0.16	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.80	2.20	0.25	0.25
Black Only	0.44	0.40	Cigarettes	2.08	2.40	0.36	0.34
American Indian or Alaska Native Only	1.03	1.13	Alcohol	2.09	2.31	0.42	0.39
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	0.79	0.47	<b>LIFETIME</b>				
More Than One Race	1.43	1.03	Any Illicit Drug <sup>2</sup>	2.03	2.34	0.37	0.37
Hispanic	0.37	0.41	Marijuana	1.98	2.32	0.32	0.31
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.94	2.30	0.32	0.31
Large Metro	0.21	0.20	Cigarettes	1.93	2.37	0.41	0.41
Small Metro	0.28	0.23	Alcohol	1.93	2.31	0.43	0.42
Nonmetro	0.29	0.28	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.33P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Carried a Handgun One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Carried a Handgun: 2000 Versus 1999**

(I) Demographic Characteristic	Carried a Handgun <sup>1</sup>		(II) Drug Use	Carried a Handgun <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0002		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2368		0.8183	
12-13	0.0012		Marijuana	0.4018		0.6929	
14-15	0.1299		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0169		0.8519	
16-17	0.0778		Cigarettes	0.7209		0.0042	
<b>GENDER</b>			Alcohol	0.4487		0.8914	
Male	0.0002		"Binge" Alcohol <sup>3</sup>	0.2771		0.1749	
Female	0.2717		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.9095		0.0639	
Not Hispanic			Marijuana	0.9770		0.2059	
White Only	0.0003		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1860		0.4097	
Black Only	0.2621		Cigarettes	0.1714		0.0000	
American Indian or Alaska Native Only	0.7823		Alcohol	0.5730		0.1431	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.4950		<b>LIFETIME</b>				
More Than One Race	0.1277		Any Illicit Drug <sup>2</sup>	0.9265		0.4804	
Hispanic	0.4870		Marijuana	0.8134		0.8683	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2036		0.8187	
Large Metro	0.0956		Cigarettes	0.0383		0.0004	
Small Metro	0.0019		Alcohol	0.6459		0.1339	
Nonmetro	0.0312		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.34C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 1999 and 2000**

(I) Demographic Characteristic	Sold Illegal Drugs <sup>1</sup>		(II) Drug Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	37	35	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	17	16	48	49
12-13	10	9	Marijuana	17	17	40	40
14-15	20	21	Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	16	33	32
16-17	28	24	Cigarettes	18	15	68	57
<b>GENDER</b>			Alcohol	17	15	66	63
Male	31	28	"Binge" Alcohol <sup>3</sup>	18	16	51	48
Female	19	19	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	13	12	69	66
Not Hispanic			Marijuana	14	13	60	55
White Only	29	28	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17	17	55	51
Black Only	10	12	Cigarettes	15	13	80	71
American Indian or Alaska Native Only	3	5	Alcohol	13	11	92	87
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	5	5	<b>LIFETIME</b>				
More Than One Race	5	4	Any Illicit Drug <sup>2</sup>	11	9	79	80
Hispanic	13	13	Marijuana	13	11	68	65
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	14	68	66
Large Metro	27	22	Cigarettes	11	11	90	90
Small Metro	20	22	Alcohol	11	8	95	93
Nonmetro	14	15	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.34D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 1999 and 2000**

(I) Demographic Characteristic	Sold Illegal Drugs <sup>1</sup>		(II) Drug Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.16	0.15	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1.91	1.92	0.22	0.22
12-13	0.13	0.12	Marijuana	1.92	2.03	0.18	0.18
14-15	0.26	0.26	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.86	2.00	0.15	0.14
16-17	0.37	0.32	Cigarettes	2.08	1.89	0.30	0.25
<b>GENDER</b>			Alcohol	2.00	1.84	0.30	0.28
Male	0.26	0.23	"Binge" Alcohol <sup>3</sup>	2.07	1.97	0.23	0.21
Female	0.17	0.17	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.46	1.45	0.31	0.29
Not Hispanic			Marijuana	1.61	1.60	0.27	0.24
White Only	0.19	0.19	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.98	2.03	0.25	0.23
Black Only	0.32	0.35	Cigarettes	1.72	1.65	0.36	0.32
American Indian or Alaska Native Only	2.42	3.18	Alcohol	1.48	1.35	0.42	0.39
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	0.59	0.65	<b>LIFETIME</b>				
More Than One Race	1.31	0.99	Any Illicit Drug <sup>2</sup>	1.28	1.13	0.36	0.35
Hispanic	0.41	0.41	Marijuana	1.45	1.37	0.31	0.29
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.84	1.66	0.31	0.29
Large Metro	0.24	0.20	Cigarettes	1.22	1.30	0.41	0.40
Small Metro	0.29	0.31	Alcohol	1.29	1.03	0.43	0.41
Nonmetro	0.29	0.32	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.34P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Sold Illegal Drugs One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Sold Illegal Drugs: 2000 Versus 1999**

(I) Demographic Characteristic	Sold Illegal Drugs <sup>1</sup>		(II) Drug Use	Sold Illegal Drugs <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.2277		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2981		0.7898	
12-13	0.9344		Marijuana	0.1048		0.8831	
14-15	0.9872		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0436		0.9718	
16-17	0.1853		Cigarettes	0.4970		0.0010	
<b>GENDER</b>			Alcohol	0.0120		0.5099	
Male	0.0963		"Binge" Alcohol <sup>3</sup>	0.0559		0.3302	
Female	0.8033		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.1050		0.0286	
Not Hispanic			Marijuana	0.0317		0.0828	
White Only	0.1909		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0027		0.1541	
Black Only	0.9684		Cigarettes	0.3647		0.0000	
American Indian or Alaska Native Only	0.9777		Alcohol	0.0686		0.0676	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.7234		<b>LIFETIME</b>				
More Than One Race	0.3285		Any Illicit Drug <sup>2</sup>	0.1118		0.3444	
Hispanic	0.9481		Marijuana	0.0755		0.6869	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0021		0.5545	
Large Metro	0.1305		Cigarettes	0.8148		0.0001	
Small Metro	0.7696		Alcohol	0.0346		0.0615	
Nonmetro	0.8955		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.35C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 1999 and 2000**

(I) Demographic Characteristic	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>		(II) Drug Use	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	42	36	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	20	19	48	49
12-13	16	15	Marijuana	20	19	41	43
14-15	23	22	Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	17	33	33
16-17	29	26	Cigarettes	20	19	66	58
<b>GENDER</b>			Alcohol	20	18	65	65
Male	34	30	"Binge" Alcohol <sup>3</sup>	20	19	52	50
Female	22	20	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	19	18	67	67
Not Hispanic			Marijuana	21	19	58	56
White Only	33	29	Any Illicit Drug Other Than Marijuana <sup>2</sup>	21	20	53	51
Black Only	16	13	Cigarettes	21	19	78	73
American Indian or Alaska Native Only	2	5	Alcohol	19	16	91	86
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	10	8	<b>LIFETIME</b>				
More Than One Race	4	4	Any Illicit Drug <sup>2</sup>	18	15	78	81
Hispanic	16	16	Marijuana	21	18	67	66
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	20	19	67	66
Large Metro	33	26	Cigarettes	18	16	87	90
Small Metro	21	20	Alcohol	16	14	94	92
Nonmetro	14	15	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.35D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 1999 and 2000**

(I) Demographic Characteristic	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>		(II) Drug Use	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.18	0.15	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1.81	1.94	0.22	0.22
12-13	0.22	0.19	Marijuana	1.78	1.90	0.19	0.19
14-15	0.30	0.27	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.44	1.68	0.15	0.15
16-17	0.38	0.34	Cigarettes	1.83	1.93	0.30	0.26
<b>GENDER</b>			Alcohol	1.83	1.83	0.30	0.29
Male	0.29	0.25	"Binge" Alcohol <sup>3</sup>	1.80	1.92	0.24	0.23
Female	0.20	0.18	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.76	1.79	0.31	0.30
Not Hispanic			Marijuana	1.93	1.88	0.27	0.25
White Only	0.21	0.19	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.87	2.01	0.24	0.23
Black Only	0.50	0.39	Cigarettes	1.92	1.86	0.36	0.33
American Indian or Alaska Native Only	1.42	3.18	Alcohol	1.71	1.65	0.41	0.39
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.15	0.99	<b>LIFETIME</b>				
More Than One Race	1.18	1.07	Any Illicit Drug <sup>2</sup>	1.64	1.51	0.35	0.36
Hispanic	0.52	0.49	Marijuana	1.88	1.80	0.31	0.30
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.85	1.87	0.31	0.30
Large Metro	0.29	0.23	Cigarettes	1.60	1.63	0.40	0.40
Small Metro	0.31	0.28	Alcohol	1.41	1.42	0.43	0.41
Nonmetro	0.31	0.31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.35P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Stolen or Tried to Steal Anything Worth More Than \$50 One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Stole or Tried to Steal Anything Worth More Than \$50: 2000 Versus 1999**

(I) Demographic Characteristic	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>		(II) Drug Use	Stolen or Tried to Steal Anything Worth More Than \$50 <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0224		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8302	0.5396		
12-13	0.1870		Marijuana	0.8926	0.4548		
14-15	0.6561		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2793	0.5183		
16-17	0.0659		Cigarettes	0.7231	0.0047		
<b>GENDER</b>			Alcohol	0.1336	0.7511		
Male	0.0158		"Binge" Alcohol <sup>3</sup>	0.0332	0.3268		
Female	0.6401		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.4957	0.1325		
Not Hispanic			Marijuana	0.4823	0.3815		
White Only	0.0324		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3884	0.5963		
Black Only	0.4798		Cigarettes	0.9743	0.0000		
American Indian or Alaska Native Only	0.2713		Alcohol	0.6812	0.1553		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.8779		<b>LIFETIME</b>				
More Than One Race	0.8468		Any Illicit Drug <sup>2</sup>	0.6481	0.5155		
Hispanic	0.4297		Marijuana	0.8727	0.9462		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1761	0.9657		
Large Metro	0.2096		Cigarettes	0.8595	0.0001		
Small Metro	0.0307		Alcohol	0.4493	0.1441		
Nonmetro	0.6278		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.36C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 1999 and 2000**

(I) Demographic Characteristic	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>		(II) Drug Use	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	51	51	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	25	22	47	49
12-13	28	25	Marijuana	22	21	40	43
14-15	31	29	Any Illicit Drug Other Than Marijuana <sup>2</sup>	19	19	33	32
16-17	30	30	Cigarettes	26	24	65	57
<b>GENDER</b>			Alcohol	25	25	64	62
Male	41	41	"Binge" Alcohol <sup>3</sup>	25	24	51	48
Female	28	28	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	27	24	67	66
Not Hispanic			Marijuana	27	24	58	56
White Only	40	38	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	24	54	53
Black Only	24	23	Cigarettes	28	26	77	72
American Indian or Alaska Native Only	2	2	Alcohol	29	25	89	87
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	9	8	<b>LIFETIME</b>				
More Than One Race	8	8	Any Illicit Drug <sup>2</sup>	26	25	77	79
Hispanic	19	21	Marijuana	27	26	65	66
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	26	25	67	67
Large Metro	37	37	Cigarettes	26	25	87	88
Small Metro	26	27	Alcohol	26	24	92	92
Nonmetro	21	21	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.36D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 1999 and 2000**

(I) Demographic Characteristic	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>		(II) Drug Use	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.22	0.22	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1.27	1.27	0.22	0.23
12-13	0.37	0.33	Marijuana	1.16	1.22	0.19	0.20
14-15	0.40	0.37	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.98	1.08	0.16	0.15
16-17	0.39	0.40	Cigarettes	1.36	1.41	0.31	0.27
<b>GENDER</b>			Alcohol	1.29	1.44	0.30	0.29
Male	0.34	0.35	"Binge" Alcohol <sup>3</sup>	1.28	1.39	0.24	0.22
Female	0.25	0.24	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.41	1.40	0.32	0.31
Not Hispanic			Marijuana	1.38	1.38	0.27	0.26
White Only	0.26	0.25	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.26	1.36	0.26	0.24
Black Only	0.75	0.68	Cigarettes	1.43	1.51	0.37	0.33
American Indian or Alaska Native Only	1.77	1.70	Alcohol	1.50	1.42	0.42	0.40
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	0.95	0.95	<b>LIFETIME</b>				
More Than One Race	2.17	2.34	Any Illicit Drug <sup>2</sup>	1.37	1.46	0.37	0.37
Hispanic	0.59	0.64	Marijuana	1.41	1.48	0.31	0.30
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.34	1.42	0.32	0.31
Large Metro	0.32	0.33	Cigarettes	1.32	1.46	0.41	0.41
Small Metro	0.38	0.37	Alcohol	1.37	1.39	0.44	0.43
Nonmetro	0.45	0.44	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.36P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Attacked Someone with the Intent to Seriously Hurt Them One or More Times in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Times They Attacked Someone with the Intent to Seriously Hurt Them: 2000 Versus 1999**

(I) Demographic Characteristic	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>		(II) Drug Use	Attacked Someone with Intent to Seriously Hurt Them <sup>1</sup>			
	One or More Times			One or More Times		None	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0019		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9475		0.4993	
12-13	0.0943		Marijuana	0.7794		0.3398	
14-15	0.1006		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1643		0.7781	
16-17	0.0402		Cigarettes	0.1461		0.0138	
<b>GENDER</b>			Alcohol	0.7566		0.8085	
Male	0.0015		"Binge" Alcohol <sup>3</sup>	0.9951		0.0618	
Female	0.3494		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.7276		0.1079	
Not Hispanic			Marijuana	0.4940		0.3712	
White Only	0.0034		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1815		0.3681	
Black Only	0.5356		Cigarettes	0.0475		0.0000	
American Indian or Alaska Native Only	0.4310		Alcohol	0.0389		0.3794	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.6777		<b>LIFETIME</b>				
More Than One Race	0.3622		Any Illicit Drug <sup>2</sup>	0.3462		0.8099	
Hispanic	0.1795		Marijuana	0.7823		0.9322	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6942		0.8803	
Large Metro	0.0549		Cigarettes	0.0124		0.0014	
Small Metro	0.0364		Alcohol	0.0612		0.3192	
Nonmetro	0.1334		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.37C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	74	64	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	40	43	33	31
12-13	34	27	Marijuana	33	38	30	29
14-15	42	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	28	30	24	22
16-17	44	43	Cigarettes	52	49	40	33
<b>GENDER</b>			Alcohol	56	59	36	31
Male	53	50	"Binge" Alcohol <sup>3</sup>	45	47	32	29
Female	49	41	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	58	60	40	33
Not Hispanic			Marijuana	49	50	38	33
White Only	58	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	46	47	34	30
Black Only	30	25	Cigarettes	65	66	40	33
American Indian or Alaska Native Only	3	6	Alcohol	78	81	39	34
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	12	<b>LIFETIME</b>				
More Than One Race	10	8	Any Illicit Drug <sup>2</sup>	68	72	42	34
Hispanic	29	25	Marijuana	57	59	40	35
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	58	60	37	32
Large Metro	55	46	Cigarettes	77	82	37	33
Small Metro	42	35	Alcohol	83	86	37	34
Nonmetro	27	29	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.  
 -- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.37D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.33	0.28	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.22	0.22	0.78	0.87
12-13	0.46	0.35	Marijuana	0.18	0.19	0.71	0.82
14-15	0.54	0.48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.15	0.15	0.57	0.62
16-17	0.58	0.57	Cigarettes	0.28	0.25	0.95	0.94
<b>GENDER</b>			Alcohol	0.30	0.30	0.86	0.90
Male	0.46	0.42	"Binge" Alcohol <sup>3</sup>	0.24	0.24	0.76	0.84
Female	0.43	0.36	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.31	0.31	0.94	0.95
Not Hispanic			Marijuana	0.26	0.25	0.90	0.94
White Only	0.38	0.34	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.25	0.24	0.80	0.85
Black Only	0.97	0.74	Cigarettes	0.35	0.33	0.95	0.94
American Indian or Alaska Native Only	2.61	4.36	Alcohol	0.42	0.41	0.92	0.98
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.63	1.42	<b>LIFETIME</b>				
More Than One Race	2.88	2.32	Any Illicit Drug <sup>2</sup>	0.36	0.37	0.99	0.96
Hispanic	0.92	0.76	Marijuana	0.31	0.30	0.96	1.00
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.31	0.30	0.88	0.91
Large Metro	0.48	0.41	Cigarettes	0.41	0.42	0.89	0.95
Small Metro	0.61	0.49	Alcohol	0.45	0.44	0.88	0.96
Nonmetro	0.59	0.60	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.37P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 2000 Versus 1999**

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0000		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.0605	0.9071		
12-13	0.0000		Marijuana	0.0291	0.9263		
14-15	0.0004		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1968	0.4253		
16-17	0.0000		Cigarettes	0.6952	0.0336		
<b>GENDER</b>			Alcohol	0.1639	0.9934		
Male	0.0000		"Binge" Alcohol <sup>3</sup>	0.0327	0.0952		
Female	0.0000		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.7104	0.1443		
Not Hispanic			Marijuana	0.2797	0.1625		
White Only	0.0000		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7035	0.5308		
Black Only	0.0002		Cigarettes	0.0422	0.0290		
American Indian or Alaska Native Only	0.4734		Alcohol	0.6584	0.0959		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.1311		<b>LIFETIME</b>				
More Than One Race	0.0078		Any Illicit Drug <sup>2</sup>	0.2724	0.7526		
Hispanic	0.0004		Marijuana	0.1220	0.9534		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2558	0.3183		
Large Metro	0.0000		Cigarettes	0.2431	0.0021		
Small Metro	0.0000		Alcohol	0.7294	0.1137		
Nonmetro	0.0001		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.38C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	77	72	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	34	35	38	37
12-13	31	28	Marijuana	25	28	35	36
14-15	43	41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	26	26	27	28
16-17	49	49	Cigarettes	51	44	41	38
<b>GENDER</b>			Alcohol	51	51	41	38
Male	56	53	"Binge" Alcohol <sup>3</sup>	39	39	37	35
Female	49	49	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	52	52	43	39
Not Hispanic			Marijuana	41	40	43	39
White Only	60	60	Any Illicit Drug Other Than Marijuana <sup>2</sup>	41	41	38	35
Black Only	28	27	Cigarettes	62	61	42	39
American Indian or Alaska Native Only	5	7	Alcohol	76	72	41	41
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	14	<b>LIFETIME</b>				
More Than One Race	10	11	Any Illicit Drug <sup>2</sup>	63	64	42	40
Hispanic	30	27	Marijuana	48	50	43	41
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	54	54	41	40
Large Metro	58	51	Cigarettes	75	77	38	39
Small Metro	43	40	Alcohol	80	78	37	38
Nonmetro	29	33	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.38D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.34	0.31	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.19	0.19	0.81	0.80
12-13	0.41	0.37	Marijuana	0.14	0.15	0.75	0.77
14-15	0.56	0.51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.14	0.14	0.58	0.60
16-17	0.64	0.66	Cigarettes	0.28	0.24	0.88	0.82
<b>GENDER</b>			Alcohol	0.28	0.27	0.88	0.83
Male	0.48	0.45	"Binge" Alcohol <sup>3</sup>	0.22	0.21	0.79	0.75
Female	0.44	0.43	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.28	0.28	0.93	0.84
Not Hispanic			Marijuana	0.22	0.22	0.93	0.84
White Only	0.40	0.39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.23	0.22	0.82	0.76
Black Only	0.88	0.83	Cigarettes	0.34	0.33	0.91	0.85
American Indian or Alaska Native Only	3.76	4.72	Alcohol	0.42	0.39	0.88	0.87
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.57	1.67	<b>LIFETIME</b>				
More Than One Race	2.90	2.90	Any Illicit Drug <sup>2</sup>	0.34	0.34	0.91	0.86
Hispanic	0.96	0.83	Marijuana	0.27	0.27	0.93	0.88
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.29	0.29	0.88	0.85
Large Metro	0.51	0.45	Cigarettes	0.41	0.42	0.81	0.83
Small Metro	0.63	0.56	Alcohol	0.44	0.42	0.79	0.80
Nonmetro	0.63	0.70	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.38P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 2000 Versus 1999**

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.5664		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.6191	0.7157		
12-13	0.5349		Marijuana	0.3284	0.6757		
14-15	0.9710		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9551	0.5302		
16-17	0.9338		Cigarettes	0.0076	0.0527		
<b>GENDER</b>			Alcohol	0.7993	0.9823		
Male	0.6868		"Binge" Alcohol <sup>3</sup>	1.0000	0.0574		
Female	0.6612		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.2742	0.0317		
Not Hispanic			Marijuana	0.4963	0.0871		
White Only	0.6189		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6609	0.4657		
Black Only	0.0320		Cigarettes	0.0000	0.0035		
American Indian or Alaska Native Only	0.0709		Alcohol	0.1826	0.1697		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.9595		<b>LIFETIME</b>				
More Than One Race	0.3838		Any Illicit Drug <sup>2</sup>	0.7249	0.1839		
Hispanic	0.6063		Marijuana	0.8862	0.3631		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9429	0.8761		
Large Metro	0.9798		Cigarettes	0.0016	0.0002		
Small Metro	0.4120		Alcohol	0.1257	0.1699		
Nonmetro	0.8676		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.39C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	73	74	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	41	42	34	32
12-13	32	27	Marijuana	33	37	32	29
14-15	41	44	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	29	25	24
16-17	46	44	Cigarettes	56	49	38	35
<b>GENDER</b>			Alcohol	55	54	38	34
Male	59	55	"Binge" Alcohol <sup>3</sup>	43	41	34	31
Female	45	43	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	60	62	41	35
Not Hispanic			Marijuana	50	50	38	34
White Only	58	59	Any Illicit Drug Other Than Marijuana <sup>2</sup>	47	48	35	32
Black Only	27	28	Cigarettes	68	66	40	37
American Indian or Alaska Native Only	6	6	Alcohol	82	77	38	37
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	13	10	<b>LIFETIME</b>				
More Than One Race	11	11	Any Illicit Drug <sup>2</sup>	70	73	42	38
Hispanic	29	28	Marijuana	58	59	41	36
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	60	60	38	37
Large Metro	53	51	Cigarettes	81	82	37	36
Small Metro	42	39	Alcohol	87	84	35	34
Nonmetro	29	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.39D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 1999 and 2000**

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.32	0.32	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.22	0.22	0.83	0.84
12-13	0.43	0.35	Marijuana	0.17	0.19	0.77	0.76
14-15	0.54	0.55	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.15	0.15	0.60	0.62
16-17	0.59	0.59	Cigarettes	0.30	0.25	0.92	0.93
<b>GENDER</b>			Alcohol	0.30	0.28	0.91	0.89
Male	0.50	0.46	"Binge" Alcohol <sup>3</sup>	0.23	0.21	0.83	0.82
Female	0.40	0.38	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.32	0.32	0.98	0.92
Not Hispanic			Marijuana	0.27	0.26	0.92	0.88
White Only	0.38	0.39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.25	0.25	0.85	0.83
Black Only	0.85	0.84	Cigarettes	0.37	0.34	0.96	0.98
American Indian or Alaska Native Only	5.10	3.93	Alcohol	0.44	0.40	0.91	0.98
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.52	1.23	<b>LIFETIME</b>				
More Than One Race	2.93	3.08	Any Illicit Drug <sup>2</sup>	0.37	0.38	1.01	0.98
Hispanic	0.92	0.85	Marijuana	0.31	0.31	0.99	0.95
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.31	0.92	0.98
Large Metro	0.47	0.46	Cigarettes	0.43	0.43	0.89	0.95
Small Metro	0.61	0.55	Alcohol	0.46	0.43	0.84	0.90
Nonmetro	0.63	0.65	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.39P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 2000 Versus 1999**

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>		(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages <sup>1</sup>			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0001		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2688	0.9199		
12-13	0.0001		Marijuana	0.0858	0.7772		
14-15	0.2122		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5075	0.4091		
16-17	0.0342		Cigarettes	0.1805	0.0220		
<b>GENDER</b>			Alcohol	0.5010	0.8453		
Male	0.0082		"Binge" Alcohol <sup>3</sup>	0.0947	0.1379		
Female	0.0011		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.6060	0.1641		
Not Hispanic			Marijuana	0.8321	0.1230		
White Only	0.0167		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6872	0.6719		
Black Only	0.0222		Cigarettes	0.0006	0.0183		
American Indian or Alaska Native Only	0.6128		Alcohol	0.4287	0.6755		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.0964		<b>LIFETIME</b>				
More Than One Race	0.4767		Any Illicit Drug <sup>2</sup>	0.7105	0.4282		
Hispanic	0.0480		Marijuana	0.3892	0.5547		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8180	0.4114		
Large Metro	0.0021		Cigarettes	0.0105	0.0044		
Small Metro	0.0594		Alcohol	0.3657	0.7040		
Nonmetro	0.0920		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.40C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 1999 and 2000**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>		(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>			
	One or Fewer			One or Fewer		Two or More	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	77	73	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	29	30	36	34
12-13	35	35	Marijuana	27	28	31	29
14-15	41	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	19	22	25	24
16-17	46	44	Cigarettes	34	34	50	39
<b>GENDER</b>			Alcohol	34	33	49	49
Male	54	54	"Binge" Alcohol <sup>3</sup>	30	28	39	38
Female	48	47	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	36	34	52	47
Not Hispanic			Marijuana	35	33	44	40
White Only	59	58	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29	29	42	39
Black Only	29	26	Cigarettes	39	37	61	51
American Indian or Alaska Native Only	5	*	Alcohol	40	39	70	62
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	15	14	<b>LIFETIME</b>				
More Than One Race	10	10	Any Illicit Drug <sup>2</sup>	39	37	60	58
Hispanic	27	29	Marijuana	38	36	52	48
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	34	35	54	48
Large Metro	60	51	Cigarettes	40	40	70	62
Small Metro	39	41	Alcohol	40	40	71	67
Nonmetro	31	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents aged 12 to 17 who reported not being enrolled in school in the past year or those who did not answer 5 or more of the 10 selected activity questions with a "yes" or "no" response were excluded. The 10 selected youth activities are youth center activities, Scouts, private lessons, team sports, 4-H club, volunteer work, church choir, school clubs, student government, and school band.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.40D Standard Errors of Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 1999 and 2000**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>		(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>			
	One or Fewer			One or Fewer		Two or More	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.44	0.44	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.62	0.67	0.28	0.28
12-13	0.69	0.71	Marijuana	0.59	0.62	0.24	0.24
14-15	0.68	0.67	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.41	0.49	0.20	0.19
16-17	0.72	0.74	Cigarettes	0.73	0.74	0.39	0.32
<b>GENDER</b>			Alcohol	0.74	0.73	0.38	0.40
Male	0.61	0.63	"Binge" Alcohol <sup>3</sup>	0.64	0.63	0.31	0.31
Female	0.56	0.57	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.77	0.75	0.41	0.39
Not Hispanic			Marijuana	0.76	0.72	0.35	0.32
White Only	0.49	0.50	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.63	0.65	0.33	0.32
Black Only	1.32	1.22	Cigarettes	0.84	0.82	0.48	0.42
American Indian or Alaska Native Only	5.21	*	Alcohol	0.85	0.86	0.55	0.51
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.53	2.32	<b>LIFETIME</b>				
More Than One Race	3.52	3.68	Any Illicit Drug <sup>2</sup>	0.85	0.82	0.47	0.48
Hispanic	1.23	1.39	Marijuana	0.81	0.79	0.40	0.39
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.73	0.76	0.42	0.39
Large Metro	0.70	0.62	Cigarettes	0.86	0.89	0.54	0.51
Small Metro	0.73	0.79	Alcohol	0.86	0.88	0.55	0.55
Nonmetro	0.88	0.93	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents aged 12 to 17 who reported not being enrolled in school in the past year or those who did not answer 5 or more of the 10 selected activity questions with a "yes" or "no" response were excluded. The 10 selected youth activities are youth center activities, Scouts, private lessons, team sports, 4-H club, volunteer work, church choir, school clubs, student government, and school band.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.40P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) Their Participation in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Number of Youth Activities Participated In: 2000 Versus 1999**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>		(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>			
	One or Fewer			One or Fewer		Two or More	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.6262		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.9580		0.5152	
12-13	0.6321		Marijuana	0.7203		0.2400	
14-15	0.9473		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3014		0.7523	
16-17	0.1354		Cigarettes	0.1850		0.0246	
<b>GENDER</b>			Alcohol	0.0847		0.8822	
Male	0.7950		"Binge" Alcohol <sup>3</sup>	0.6537		0.4257	
Female	0.6120		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0240		0.1357	
Not Hispanic			Marijuana	0.1129		0.0522	
White Only	0.0660		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4110		0.6630	
Black Only	0.6101		Cigarettes	0.0624		0.0031	
American Indian or Alaska Native Only	*		Alcohol	0.0266		0.0721	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.0926		<b>LIFETIME</b>				
More Than One Race	0.6826		Any Illicit Drug <sup>2</sup>	0.0877		0.3902	
Hispanic	0.2289		Marijuana	0.3377		0.3791	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.7922		0.5706	
Large Metro	0.7209		Cigarettes	0.0280		0.0003	
Small Metro	0.5296		Alcohol	0.1135		0.0709	
Nonmetro	0.3240		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents aged 12 to 17 who reported not being enrolled in school in the past year or those who did not answer 5 or more of the 10 selected activity questions with a "yes" or "no" response were excluded. The 10 selected youth activities are youth center activities, Scouts, private lessons, team sports, 4-H club, volunteer work, church choir, school clubs, student government, and school band.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.41C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 1999 and 2000**

(I) Demographic Characteristic	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>		(II) Drug Use	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	75	70	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	23	22	49	50
12-13	45	42	Marijuana	19	19	43	46
14-15	41	41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17	16	33	34
16-17	42	39	Cigarettes	27	24	65	57
<b>GENDER</b>			Alcohol	28	27	63	60
Male	50	52	"Binge" Alcohol <sup>3</sup>	21	21	52	49
Female	53	50	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	32	30	66	65
Not Hispanic			Marijuana	26	24	59	57
White Only	59	54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	24	53	52
Black Only	32	33	Cigarettes	33	31	77	69
American Indian or Alaska Native Only	4	*	Alcohol	38	37	84	81
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	16	18	<b>LIFETIME</b>				
More Than One Race	10	9	Any Illicit Drug <sup>2</sup>	36	36	75	77
Hispanic	29	27	Marijuana	29	28	67	66
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	32	32	65	65
Large Metro	57	51	Cigarettes	37	37	83	84
Small Metro	41	38	Alcohol	40	40	85	85
Nonmetro	31	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.41D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 1999 and 2000**

(I) Demographic Characteristic	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>		(II) Drug Use	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.33	0.30	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.50	0.50	0.27	0.27
12-13	0.61	0.55	Marijuana	0.42	0.43	0.23	0.24
14-15	0.53	0.51	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.37	0.36	0.18	0.18
16-17	0.55	0.51	Cigarettes	0.58	0.55	0.36	0.30
<b>GENDER</b>			Alcohol	0.62	0.61	0.34	0.32
Male	0.43	0.44	"Binge" Alcohol <sup>3</sup>	0.46	0.47	0.28	0.26
Female	0.48	0.44	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.69	0.68	0.36	0.35
Not Hispanic			Marijuana	0.57	0.54	0.32	0.30
White Only	0.39	0.36	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.54	0.54	0.29	0.28
Black Only	1.00	0.99	Cigarettes	0.71	0.70	0.42	0.37
American Indian or Alaska Native Only	3.25	*	Alcohol	0.83	0.84	0.46	0.43
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.84	2.14	<b>LIFETIME</b>				
More Than One Race	2.75	2.38	Any Illicit Drug <sup>2</sup>	0.79	0.83	0.41	0.41
Hispanic	0.92	0.81	Marijuana	0.64	0.64	0.37	0.35
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.70	0.73	0.35	0.34
Large Metro	0.50	0.45	Cigarettes	0.81	0.84	0.46	0.44
Small Metro	0.59	0.53	Alcohol	0.87	0.90	0.47	0.45
Nonmetro	0.67	0.64	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.41P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Problem Solving, Communication Skills, or Self-Esteem Group: 2000 Versus 1999**

(I) Demographic Characteristic	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>		(II) Drug Use	Participated in Problem Solving, Communication, or Self-Esteem Group <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0066		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.2072	0.7808		
12-13	0.1407		Marijuana	0.0631	0.4591		
14-15	0.6582		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4115	0.5160		
16-17	0.0030		Cigarettes	0.0055	0.0062		
<b>GENDER</b>			Alcohol	0.0556	0.8660		
Male	0.0685		"Binge" Alcohol <sup>3</sup>	0.1835	0.1211		
Female	0.0402		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0056	0.1345		
Not Hispanic			Marijuana	0.0005	0.5409		
White Only	0.0004		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.0853	0.6827		
Black Only	0.4757		Cigarettes	0.0001	0.0001		
American Indian or Alaska Native Only	*		Alcohol	0.0417	0.1457		
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--	--		
Asian Only	0.8320		<b>LIFETIME</b>				
More Than One Race	0.4716		Any Illicit Drug <sup>2</sup>	0.0616	0.5442		
Hispanic	0.3270		Marijuana	0.0164	0.8364		
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1444	0.8938		
Large Metro	0.1939		Cigarettes	0.0003	0.0014		
Small Metro	0.1365		Alcohol	0.2388	0.0546		
Nonmetro	0.0279		"Binge" Alcohol <sup>3</sup>	--	--		

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.42C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 1999 and 2000**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	77	72	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	19	20	49	51
12-13	47	43	Marijuana	16	17	43	46
14-15	38	39	Any Illicit Drug Other Than Marijuana <sup>2</sup>	15	15	35	35
16-17	34	33	Cigarettes	22	21	67	61
<b>GENDER</b>			Alcohol	24	23	63	64
Male	53	46	"Binge" Alcohol <sup>3</sup>	19	19	53	51
Female	50	52	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	28	26	67	69
Not Hispanic			Marijuana	23	21	60	60
White Only	58	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	22	53	54
Black Only	34	29	Cigarettes	28	25	77	72
American Indian or Alaska Native Only	5	6	Alcohol	32	31	85	83
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	18	18	<b>LIFETIME</b>				
More Than One Race	8	7	Any Illicit Drug <sup>2</sup>	31	30	76	79
Hispanic	27	30	Marijuana	25	25	68	68
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	28	27	65	66
Large Metro	57	50	Cigarettes	34	32	84	85
Small Metro	43	37	Alcohol	36	35	87	86
Nonmetro	29	31	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.42D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 1999 and 2000**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.34	0.31	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.48	0.54	0.26	0.26
12-13	0.63	0.57	Marijuana	0.39	0.45	0.23	0.24
14-15	0.49	0.49	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.36	0.40	0.19	0.18
16-17	0.44	0.44	Cigarettes	0.56	0.55	0.35	0.31
<b>GENDER</b>			Alcohol	0.59	0.60	0.34	0.33
Male	0.45	0.39	"Binge" Alcohol <sup>3</sup>	0.46	0.51	0.28	0.26
Female	0.45	0.46	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.70	0.69	0.35	0.35
Not Hispanic			Marijuana	0.57	0.55	0.32	0.31
White Only	0.38	0.34	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.59	0.58	0.28	0.28
Black Only	1.06	0.89	Cigarettes	0.69	0.65	0.41	0.37
American Indian or Alaska Native Only	3.64	3.96	Alcohol	0.80	0.82	0.45	0.43
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.05	2.11	<b>LIFETIME</b>				
More Than One Race	2.08	1.99	Any Illicit Drug <sup>2</sup>	0.78	0.80	0.40	0.41
Hispanic	0.84	0.92	Marijuana	0.63	0.66	0.36	0.35
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.70	0.72	0.35	0.34
Large Metro	0.50	0.44	Cigarettes	0.83	0.83	0.44	0.44
Small Metro	0.63	0.52	Alcohol	0.89	0.91	0.46	0.44
Nonmetro	0.64	0.64	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.42P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Violence Prevention Program: 2000 Versus 1999**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0037		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1945		0.4435	
12-13	0.0116		Marijuana	0.2724		0.6175	
14-15	0.2820		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6194		0.8542	
16-17	0.0405		Cigarettes	0.6722		0.0003	
<b>GENDER</b>			Alcohol	0.6838		0.5687	
Male	0.0391		"Binge" Alcohol <sup>3</sup>	0.4573		0.5159	
Female	0.0320		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.8864		0.0103	
Not Hispanic			Marijuana	0.8652		0.0390	
White Only	0.0084		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8137		0.2698	
Black Only	0.4647		Cigarettes	0.1757		0.0000	
American Indian or Alaska Native Only	0.9649		Alcohol	0.4431		0.0378	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2455		<b>LIFETIME</b>				
More Than One Race	0.5825		Any Illicit Drug <sup>2</sup>	0.4842		0.0861	
Hispanic	0.5018		Marijuana	0.3908		0.1937	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.5638		0.5050	
Large Metro	0.0791		Cigarettes	0.2048		0.0000	
Small Metro	0.0441		Alcohol	0.4104		0.0323	
Nonmetro	0.2458		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.43C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 1999 and 2000**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>		(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	63	63	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	20	20	50	51
12-13	37	37	Marijuana	16	17	44	46
14-15	32	33	Any Illicit Drug Other Than Marijuana <sup>2</sup>	15	16	35	34
16-17	33	32	Cigarettes	22	21	66	60
<b>GENDER</b>			Alcohol	23	22	65	62
Male	43	44	"Binge" Alcohol <sup>3</sup>	19	19	54	49
Female	43	41	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	26	25	69	68
Not Hispanic			Marijuana	22	22	61	59
White Only	45	44	Any Illicit Drug Other Than Marijuana <sup>2</sup>	22	21	54	54
Black Only	28	27	Cigarettes	26	26	80	71
American Indian or Alaska Native Only	3	5	Alcohol	30	29	88	83
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	17	<b>LIFETIME</b>				
More Than One Race	5	6	Any Illicit Drug <sup>2</sup>	29	28	77	80
Hispanic	25	27	Marijuana	25	24	67	68
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	26	26	67	67
Large Metro	46	45	Cigarettes	32	30	87	86
Small Metro	35	34	Alcohol	32	31	90	87
Nonmetro	26	25	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.43D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 1999 and 2000**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>		(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.27	0.27	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.68	0.74	0.25	0.25
12-13	0.49	0.48	Marijuana	0.56	0.62	0.22	0.22
14-15	0.41	0.41	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.51	0.57	0.17	0.17
16-17	0.43	0.42	Cigarettes	0.75	0.77	0.33	0.29
<b>GENDER</b>			Alcohol	0.80	0.81	0.32	0.30
Male	0.37	0.37	"Binge" Alcohol <sup>3</sup>	0.65	0.69	0.27	0.24
Female	0.38	0.36	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.91	0.92	0.34	0.33
Not Hispanic			Marijuana	0.77	0.78	0.30	0.29
White Only	0.30	0.29	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.77	0.75	0.27	0.26
Black Only	0.88	0.81	Cigarettes	0.90	0.96	0.40	0.35
American Indian or Alaska Native Only	2.43	3.83	Alcohol	1.04	1.06	0.44	0.40
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.57	2.03	<b>LIFETIME</b>				
More Than One Race	1.39	1.65	Any Illicit Drug <sup>2</sup>	1.01	1.03	0.38	0.39
Hispanic	0.77	0.81	Marijuana	0.86	0.89	0.34	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.91	0.93	0.34	0.33
Large Metro	0.40	0.40	Cigarettes	1.10	1.11	0.43	0.42
Small Metro	0.50	0.48	Alcohol	1.11	1.12	0.45	0.42
Nonmetro	0.57	0.52	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.43P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside of School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Drug Prevention Program Outside School: 2000 Versus 1999**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>		(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0603		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.1671		0.5011	
12-13	0.0651		Marijuana	0.5654		0.8616	
14-15	0.9552		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2002		0.8849	
16-17	0.0972		Cigarettes	0.4185		0.0010	
<b>GENDER</b>			Alcohol	0.5756		0.5226	
Male	0.4722		"Binge" Alcohol <sup>3</sup>	0.1256		0.5533	
Female	0.0357		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.4333		0.0053	
Not Hispanic			Marijuana	0.5138		0.0270	
White Only	0.0916		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6501		0.2614	
Black Only	0.0659		Cigarettes	0.3141		0.0000	
American Indian or Alaska Native Only	0.5011		Alcohol	0.7269		0.0266	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2126		<b>LIFETIME</b>				
More Than One Race	0.8482		Any Illicit Drug <sup>2</sup>	0.2608		0.0967	
Hispanic	0.4040		Marijuana	0.3889		0.2816	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3920		0.5053	
Large Metro	0.2626		Cigarettes	0.9172		0.0000	
Small Metro	0.1332		Alcohol	0.2472		0.0095	
Nonmetro	0.5591		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.44C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 1999 and 2000**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>		(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	38	36	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	16	15	50	53
12-13	24	22	Marijuana	15	12	44	47
14-15	20	21	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12	11	35	37
16-17	21	20	Cigarettes	17	15	68	63
<b>GENDER</b>			Alcohol	16	15	68	66
Male	27	26	"Binge" Alcohol <sup>3</sup>	14	14	55	53
Female	27	24	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	18	17	71	71
Not Hispanic			Marijuana	17	15	62	61
White Only	29	26	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17	15	55	57
Black Only	18	17	Cigarettes	18	16	80	76
American Indian or Alaska Native Only	*	4	Alcohol	19	17	92	89
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	7	7	<b>LIFETIME</b>				
More Than One Race	5	4	Any Illicit Drug <sup>2</sup>	19	17	80	84
Hispanic	16	15	Marijuana	18	16	71	71
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	19	17	68	71
Large Metro	28	27	Cigarettes	19	17	89	92
Small Metro	22	20	Alcohol	20	18	93	93
Nonmetro	16	15	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.44D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 1999 and 2000**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>		(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.17	0.15	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	1.44	1.42	0.23	0.24
12-13	0.33	0.29	Marijuana	1.30	1.21	0.20	0.21
14-15	0.26	0.26	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.08	1.11	0.16	0.16
16-17	0.27	0.27	Cigarettes	1.56	1.50	0.31	0.28
<b>GENDER</b>			Alcohol	1.44	1.48	0.31	0.30
Male	0.23	0.22	"Binge" Alcohol <sup>3</sup>	1.28	1.40	0.25	0.24
Female	0.24	0.21	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	1.62	1.64	0.33	0.32
Not Hispanic			Marijuana	1.51	1.48	0.28	0.27
White Only	0.19	0.17	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.54	1.48	0.25	0.26
Black Only	0.56	0.51	Cigarettes	1.61	1.61	0.37	0.34
American Indian or Alaska Native Only	*	2.91	Alcohol	1.69	1.70	0.42	0.40
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	0.79	0.82	<b>LIFETIME</b>				
More Than One Race	1.53	1.17	Any Illicit Drug <sup>2</sup>	1.74	1.67	0.37	0.38
Hispanic	0.50	0.46	Marijuana	1.58	1.61	0.32	0.32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	1.74	1.67	0.31	0.32
Large Metro	0.24	0.24	Cigarettes	1.68	1.64	0.41	0.42
Small Metro	0.32	0.28	Alcohol	1.78	1.76	0.43	0.42
Nonmetro	0.34	0.32	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.44P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Program for Dealing with Alcohol or Drug Use: 2000 Versus 1999**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>		(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0354		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8803			0.9834
12-13	0.0741		Marijuana	0.4951			0.7320
14-15	0.8442		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9665			0.5624
16-17	0.1189		Cigarettes	0.6733			0.0006
<b>GENDER</b>			Alcohol	0.2262			0.4940
Male	0.1897		"Binge" Alcohol <sup>3</sup>	0.0657			0.5281
Female	0.0980		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.8205			0.0348
Not Hispanic			Marijuana	0.8416			0.0647
White Only	0.1944		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3790			0.6566
Black Only	0.2034		Cigarettes	0.7321			0.0000
American Indian or Alaska Native Only	*		Alcohol	0.1185			0.0230
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.9760		<b>LIFETIME</b>				
More Than One Race	0.0925		Any Illicit Drug <sup>2</sup>	0.7057			0.3641
Hispanic	0.4790		Marijuana	0.2408			0.3468
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3367			0.8541
Large Metro	0.2554		Cigarettes	0.5809			0.0000
Small Metro	0.2963		Alcohol	0.2571			0.0257
Nonmetro	0.1016		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.45C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 1999 and 2000**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	66	65	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	21	20	49	51
12-13	37	34	Marijuana	16	16	44	46
14-15	38	38	Any Illicit Drug Other Than Marijuana <sup>2</sup>	16	15	35	35
16-17	36	34	Cigarettes	24	20	66	60
<b>GENDER</b>			Alcohol	25	22	65	65
Male	45	45	"Binge" Alcohol <sup>3</sup>	18	18	54	51
Female	45	43	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	28	26	68	67
Not Hispanic			Marijuana	24	22	60	58
White Only	51	46	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24	22	55	55
Black Only	28	28	Cigarettes	28	26	76	71
American Indian or Alaska Native Only	6	4	Alcohol	33	31	85	83
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	14	19	<b>LIFETIME</b>				
More Than One Race	8	12	Any Illicit Drug <sup>2</sup>	32	30	76	79
Hispanic	27	25	Marijuana	28	25	66	68
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	27	28	67	67
Large Metro	49	46	Cigarettes	33	34	83	86
Small Metro	37	38	Alcohol	34	35	88	87
Nonmetro	24	26	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.45D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 1999 and 2000**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.29	0.28	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.65	0.67	0.25	0.25
12-13	0.49	0.44	Marijuana	0.52	0.55	0.22	0.23
14-15	0.49	0.48	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.50	0.52	0.18	0.17
16-17	0.47	0.46	Cigarettes	0.75	0.68	0.34	0.30
<b>GENDER</b>			Alcohol	0.77	0.74	0.33	0.32
Male	0.39	0.38	"Binge" Alcohol <sup>3</sup>	0.56	0.62	0.27	0.25
Female	0.40	0.38	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.89	0.89	0.34	0.33
Not Hispanic			Marijuana	0.75	0.74	0.30	0.29
White Only	0.34	0.30	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.75	0.75	0.28	0.27
Black Only	0.89	0.86	Cigarettes	0.89	0.88	0.38	0.35
American Indian or Alaska Native Only	4.80	2.65	Alcohol	1.03	1.03	0.43	0.41
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.55	2.26	<b>LIFETIME</b>				
More Than One Race	2.18	3.24	Any Illicit Drug <sup>2</sup>	1.00	1.01	0.38	0.39
Hispanic	0.86	0.75	Marijuana	0.87	0.85	0.34	0.33
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.86	0.93	0.34	0.33
Large Metro	0.42	0.41	Cigarettes	1.03	1.14	0.42	0.42
Small Metro	0.54	0.52	Alcohol	1.07	1.18	0.44	0.43
Nonmetro	0.53	0.54	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.45P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) They Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Participated in a Pregnancy or Sexually Transmitted Disease Prevention Program: 2000 Versus 1999**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>		(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.0078		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.3578			0.6255
12-13	0.1926		Marijuana	0.9919			0.9947
14-15	0.1151		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.1564			0.8524
16-17	0.0490		Cigarettes	0.1218			0.0020
<b>GENDER</b>			Alcohol	0.9131			0.5772
Male	0.8767		"Binge" Alcohol <sup>3</sup>	0.1425			0.6083
Female	0.0001		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.9816			0.0170
Not Hispanic			Marijuana	0.7745			0.0368
White Only	0.0253		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8720			0.4639
Black Only	0.2645		Cigarettes	0.1119			0.0000
American Indian or Alaska Native Only	0.0099		Alcohol	0.1673			0.0992
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.3388		<b>LIFETIME</b>				
More Than One Race	0.6202		Any Illicit Drug <sup>2</sup>	0.7791			0.1843
Hispanic	0.0705		Marijuana	0.9540			0.4239
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8304			0.7183
Large Metro	0.0409		Cigarettes	0.3775			0.0000
Small Metro	0.1382		Alcohol	0.3344			0.0759
Nonmetro	0.3575		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.46C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 1999 and 2000**

(I) Demographic Characteristic	Talk with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talk with Parent About Dangers of Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	91	93	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	38	41	36	35
12-13	50	52	Marijuana	34	36	32	31
14-15	52	57	Any Illicit Drug Other Than Marijuana <sup>2</sup>	27	28	25	26
16-17	52	51	Cigarettes	51	45	46	44
<b>GENDER</b>			Alcohol	52	48	46	45
Male	64	67	"Binge" Alcohol <sup>3</sup>	42	39	37	37
Female	62	64	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	54	54	50	46
Not Hispanic			Marijuana	48	46	44	42
White Only	72	71	Any Illicit Drug Other Than Marijuana <sup>2</sup>	44	44	39	37
Black Only	37	36	Cigarettes	60	58	52	49
American Indian or Alaska Native Only	5	7	Alcohol	69	63	62	59
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	20	22	<b>LIFETIME</b>				
More Than One Race	12	13	Any Illicit Drug <sup>2</sup>	59	61	55	55
Hispanic	34	35	Marijuana	52	54	49	47
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	53	54	46	47
Large Metro	69	67	Cigarettes	67	70	58	56
Small Metro	47	50	Alcohol	71	68	61	61
Nonmetro	38	39	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.46D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 1999 and 2000**

(I) Demographic Characteristic	Talk with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talk with Parent About Dangers of Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.40	0.40	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.29	0.31	0.37	0.36
12-13	0.68	0.67	Marijuana	0.26	0.27	0.33	0.31
14-15	0.66	0.71	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.21	0.21	0.25	0.26
16-17	0.67	0.68	Cigarettes	0.38	0.34	0.47	0.45
<b>GENDER</b>			Alcohol	0.40	0.36	0.47	0.46
Male	0.55	0.56	"Binge" Alcohol <sup>3</sup>	0.32	0.29	0.38	0.38
Female	0.55	0.57	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.41	0.40	0.51	0.47
Not Hispanic			Marijuana	0.37	0.34	0.45	0.43
White Only	0.48	0.47	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.33	0.33	0.40	0.38
Black Only	1.17	1.08	Cigarettes	0.46	0.44	0.53	0.50
American Indian or Alaska Native Only	4.01	4.55	Alcohol	0.53	0.47	0.63	0.60
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.29	2.63	<b>LIFETIME</b>				
More Than One Race	3.45	3.76	Any Illicit Drug <sup>2</sup>	0.45	0.46	0.56	0.56
Hispanic	1.07	1.08	Marijuana	0.40	0.40	0.50	0.48
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.41	0.47	0.48
Large Metro	0.60	0.60	Cigarettes	0.51	0.52	0.60	0.57
Small Metro	0.68	0.70	Alcohol	0.54	0.51	0.63	0.63
Nonmetro	0.83	0.81	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.46P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Talked with at Least One of Their Parents in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Talked with Their Parents About the Dangers of Drug Use: 2000 Versus 1999**

(I) Demographic Characteristic	Talk with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talk with Parent About Dangers of Drug Use <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.7048		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.3681			0.3868
12-13	0.4384		Marijuana	0.7027			0.5504
14-15	0.9190		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6129			0.2848
16-17	0.9564		Cigarettes	0.0004			0.2708
<b>GENDER</b>			Alcohol	0.2501			0.4439
Male	0.7014		"Binge" Alcohol <sup>3</sup>	0.8014			0.0477
Female	0.3119		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.0162			0.4696
Not Hispanic			Marijuana	0.0429			0.8387
White Only	0.6426		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.2902			0.8094
Black Only	0.0286		Cigarettes	0.0002			0.0006
American Indian or Alaska Native Only	0.8950		Alcohol	0.0533			0.5669
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--			--
Asian Only	0.7668		<b>LIFETIME</b>				
More Than One Race	0.3551		Any Illicit Drug <sup>2</sup>	0.2239			0.7348
Hispanic	0.5774		Marijuana	0.4497			0.9960
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4928			0.8507
Large Metro	0.2695		Cigarettes	0.0023			0.0031
Small Metro	0.8204		Alcohol	0.0323			0.6826
Nonmetro	0.4922		"Binge" Alcohol <sup>3</sup>	--			--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.47C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 1999 and 2000**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages at School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages at School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	65	67	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	38	39	27	26
12-13	33	31	Marijuana	34	33	25	24
14-15	38	36	Any Illicit Drug Other Than Marijuana <sup>2</sup>	25	26	19	20
16-17	42	41	Cigarettes	51	40	31	29
<b>GENDER</b>			Alcohol	53	51	30	29
Male	48	52	"Binge" Alcohol <sup>3</sup>	41	40	27	26
Female	44	44	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	55	52	33	30
Not Hispanic			Marijuana	49	45	30	29
White Only	52	52	Any Illicit Drug Other Than Marijuana <sup>2</sup>	44	42	27	25
Black Only	24	26	Cigarettes	63	53	36	31
American Indian or Alaska Native Only	*	*	Alcohol	72	65	36	34
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	13	13	<b>LIFETIME</b>				
More Than One Race	8	6	Any Illicit Drug <sup>2</sup>	63	60	35	34
Hispanic	24	23	Marijuana	55	51	33	31
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	55	52	31	30
Large Metro	50	48	Cigarettes	72	66	38	35
Small Metro	32	40	Alcohol	73	67	36	36
Nonmetro	27	25	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

NOTE: Youths who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were excluded from this analysis about participation in school-coordinated drug prevention programs.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.47D Standard Errors of Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 1999 and 2000**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages at School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages at School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.38	0.40	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.29	0.30	0.70	0.69
12-13	0.65	0.63	Marijuana	0.25	0.25	0.63	0.65
14-15	0.64	0.62	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.19	0.20	0.49	0.54
16-17	0.66	0.69	Cigarettes	0.38	0.31	0.80	0.77
<b>GENDER</b>			Alcohol	0.39	0.39	0.77	0.78
Male	0.54	0.61	"Binge" Alcohol <sup>3</sup>	0.31	0.31	0.68	0.71
Female	0.52	0.54	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.41	0.40	0.85	0.82
Not Hispanic			Marijuana	0.37	0.34	0.78	0.78
White Only	0.43	0.45	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.32	0.33	0.69	0.68
Black Only	1.12	1.23	Cigarettes	0.47	0.41	0.92	0.83
American Indian or Alaska Native Only	*	*	Alcohol	0.53	0.50	0.94	0.92
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	2.16	2.31	<b>LIFETIME</b>				
More Than One Race	2.83	2.47	Any Illicit Drug <sup>2</sup>	0.46	0.46	0.91	0.92
Hispanic	1.12	1.11	Marijuana	0.41	0.39	0.84	0.83
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.40	0.40	0.79	0.81
Large Metro	0.58	0.58	Cigarettes	0.53	0.51	0.96	0.96
Small Metro	0.61	0.76	Alcohol	0.54	0.52	0.92	0.96
Nonmetro	0.76	0.75	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

NOTE: Youths who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were excluded from this analysis about participation in school-coordinated drug prevention programs.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.47P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Enrolled in School in the Past Year Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages at School: 2000 Versus 1999**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages at School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages at School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.6347		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.8766		0.7513	
12-13	0.6444		Marijuana	0.3392		0.5701	
14-15	0.3726		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.3768		0.7358	
16-17	0.4623		Cigarettes	0.0111		0.5571	
<b>GENDER</b>			Alcohol	0.7589		0.3384	
Male	0.1334		"Binge" Alcohol <sup>3</sup>	0.6580		0.8266	
Female	0.3026		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.2463		0.0176	
Not Hispanic			Marijuana	0.1497		0.0654	
White Only	0.6012		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8885		0.3085	
Black Only	0.0589		Cigarettes	0.0030		0.1277	
American Indian or Alaska Native Only	*		Alcohol	0.0390		0.1210	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.8324		<b>LIFETIME</b>				
More Than One Race	0.2989		Any Illicit Drug <sup>2</sup>	0.2163		0.4665	
Hispanic	0.9713		Marijuana	0.4263		0.4789	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.6944		0.8066	
Large Metro	0.4359		Cigarettes	0.0014		0.0135	
Small Metro	0.2042		Alcohol	0.0497		0.2837	
Nonmetro	0.1134		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

NOTE: Youths who did not report their school enrollment status or who reported not being enrolled in school in the past 12 months were excluded from this analysis about participation in school-coordinated drug prevention programs.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.48C Standard Errors of Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 1999 and 2000**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	73	70	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	47	50	27	26
12-13	39	44	Marijuana	42	44	23	24
14-15	43	43	Any Illicit Drug Other Than Marijuana <sup>2</sup>	31	35	19	19
16-17	41	38	Cigarettes	64	55	30	29
<b>GENDER</b>			Alcohol	62	60	30	29
Male	53	52	"Binge" Alcohol <sup>3</sup>	47	47	26	25
Female	47	44	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	66	64	35	34
Not Hispanic			Marijuana	58	55	31	29
White Only	54	54	Any Illicit Drug Other Than Marijuana <sup>2</sup>	52	53	28	29
Black Only	30	29	Cigarettes	75	68	35	34
American Indian or Alaska Native Only	*	6	Alcohol	84	81	37	36
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	15	14	<b>LIFETIME</b>				
More Than One Race	8	7	Any Illicit Drug <sup>2</sup>	73	75	36	37
Hispanic	29	26	Marijuana	65	61	32	32
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	63	65	32	33
Large Metro	56	49	Cigarettes	81	82	38	40
Small Metro	35	39	Alcohol	87	84	39	39
Nonmetro	30	30	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.48D Standard Errors of Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 1999 and 2000**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.32	0.30	<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.25	0.26	0.67	0.62
12-13	0.52	0.58	Marijuana	0.22	0.23	0.58	0.57
14-15	0.55	0.53	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.17	0.18	0.47	0.46
16-17	0.54	0.50	Cigarettes	0.34	0.29	0.73	0.70
<b>GENDER</b>			Alcohol	0.33	0.32	0.73	0.69
Male	0.45	0.43	"Binge" Alcohol <sup>3</sup>	0.25	0.25	0.64	0.59
Female	0.42	0.39	<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.35	0.34	0.85	0.81
Not Hispanic			Marijuana	0.31	0.29	0.76	0.70
White Only	0.35	0.36	Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.27	0.28	0.68	0.68
Black Only	0.94	0.87	Cigarettes	0.40	0.36	0.85	0.81
American Indian or Alaska Native Only	*	4.18	Alcohol	0.44	0.42	0.91	0.86
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol <sup>3</sup>	--	--	--	--
Asian Only	1.70	1.72	<b>LIFETIME</b>				
More Than One Race	2.34	2.02	Any Illicit Drug <sup>2</sup>	0.39	0.39	0.89	0.88
Hispanic	0.91	0.79	Marijuana	0.34	0.32	0.79	0.76
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.33	0.34	0.80	0.79
Large Metro	0.49	0.44	Cigarettes	0.43	0.43	0.95	0.95
Small Metro	0.51	0.55	Alcohol	0.46	0.44	0.95	0.93
Nonmetro	0.66	0.63	"Binge" Alcohol <sup>3</sup>	--	--	--	--

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.

**Table 3.48P P-Values from Tests of Differences in Percentages of Persons Aged 12 to 17 Reporting (I) That They Had Seen or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics, and (II) Selected Drug Use, by Whether They Saw or Heard Drug Prevention Messages From Sources Outside School: 2000 Versus 1999**

(I) Demographic Characteristic	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>		(II) Drug Use	Seen or Heard Drug Prevention Messages Outside School <sup>1</sup>			
	Yes			Yes		No	
	1999	2000		1999	2000	1999	2000
<b>TOTAL</b>	0.4493		<b>PAST MONTH</b>				
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	0.5420		0.2368	
12-13	0.1083		Marijuana	0.8627		0.8378	
14-15	0.7261		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.4761		0.6632	
16-17	0.9911		Cigarettes	0.0011		0.3834	
<b>GENDER</b>			Alcohol	0.7620		0.1188	
Male	0.2183		"Binge" Alcohol <sup>3</sup>	0.1059		0.4937	
Female	0.8268		<b>PAST YEAR</b>				
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	0.3450		0.0022	
Not Hispanic			Marijuana	0.5043		0.0117	
White Only	0.4384		Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.8853		0.1432	
Black Only	0.9295		Cigarettes	0.0001		0.0003	
American Indian or Alaska Native Only	*		Alcohol	0.4020		0.0031	
Native Hawaiian or Other Pacific Islander	*		"Binge" Alcohol <sup>3</sup>	--		--	
Asian Only	0.2694		<b>LIFETIME</b>				
More Than One Race	0.0642		Any Illicit Drug <sup>2</sup>	0.7930		0.0306	
Hispanic	0.7594		Marijuana	0.9188		0.0840	
<b>COUNTY TYPE</b>			Any Illicit Drug Other Than Marijuana <sup>2</sup>	0.9898		0.4336	
Large Metro	0.7922		Cigarettes	0.0018		0.0003	
Small Metro	0.0433		Alcohol	0.2924		0.0091	
Nonmetro	0.2493		"Binge" Alcohol <sup>3</sup>	--		--	

\*Low precision; no estimate reported.

-- Not available.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug indicates use at least once of marijuana/hashish, cocaine (including crack), heroin, hallucinogens (including LSD and PCP), inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana indicates use at least once of any of these listed drugs, regardless of marijuana/hashish use; marijuana/hashish users who also have used any of the other listed drugs are included.

<sup>3</sup> "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 1999 and 2000.